



## UTOU.S4019 Control Units and Accessories, Household System Type

[Page Bottom](#)

### Control Units and Accessories, Household System Type

[See General Information for Control Units and Accessories, Household System Type](#)

#### DIGITAL SECURITY CONTROLS, DIV OF TYCO SAFETY PRODUCTS CANADA LTD

S4019

95 BRIDGELAND AVE  
TORONTO, ON M6A 1Y7 CANADA

**Combination control unit subassemblies**, Model(s) GS2065 GSM-GPRS Communicator, for use with separately Listed Control Unit as indicated in the Installation Instructions, PC1616(d), PC1832(d), PC1864(d)

**Combination control unit subassemblies**, Model(s) TL260 IP Communicator for use with separately listed control units as indicated in installation instructions

**Combination household fire and burglary warning system control unit subassemblies**, Model(s) TL265GS IP/GSM-GPRS Communicators, TL265 IP Communicators, GS2065 GSM-GPRS Communicator, for use with separately Listed Control Unit as indicated in the Installation Instructions, PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433 (f)

**Combination household fire and burglary warning system control units**, Model(s) PC4020 (a), PC580, PC585, PC9155-433, PC9155D-433, PC9155G-433 short range low power RF and hardwire system., PC9155I-433, SCW9045-433, SCW9047-433, SCW9447-433

**Control unit accessories**, Model(s) AML 900X where "X" is the Letter A, B or C, AML-770X where "X" is the Letter A, B or C, AMP-704

**Control unit accessories**, Model(s) AMP-704 for use with separately Listed control panels as indicated in the installation instructions., EOLR-1, EOLR-2, EOLR-3, PC5100 (b), PKP-400, PKP-ICN, PKP-LCD

**Control unit accessories**, Model(s) PRM 2W, PRM 2WC, PRM 4W, PRM 4WC Power Reversal modules intended for use with separately Listed control units as indicated in the installation instructions., RM-1, WS4920 RF repeater., WT4901 Wireless Indoor Siren for use with PC9155 Wireless system., WT5500-433, WT5500P-433 Wireless Keypad

**Control unit accessories, interfaces**, Model(s) GS-BOOST Telco Voltage Booster, for use only with Model GS3060, GS3060 GSM-GPRS (e), GS3060-RF GSM-GPRS (e), IP/GSM-GPRS (e)

**Control unit accessories, keypads**, Model(s) LCD-4501, LCD-4501T, LCD5511, LED5511, PC1555RKZ, PK5500, PK5501, PK5508, PK5516, RFK5500-433, RFK5501-433, RFK5508-433, RFK5516-433

**Control unit accessories, multiple wireless RF receiver modules**, Model(s) RF5108-433

**Control unit accessories, RF receivers**, Model(s) PC4164-433, RF4164-433, RF5132-433

**Control unit assemblies**, Model(s) AMX-400, PC4580, PC5580TC

**Control unit assemblies, ethernet communicators**, Model(s) T-Link TL250, T-Link TL300

**Control unit assemblies, serial interface modules**, Model(s) KT4401VK, PC4401 (c), PC5400

**Control unit assemblies, switched transistor output modules**, Model(s) PC4216, PC5208

**Control unit assemblies, zone expanders**, Model(s) PC4108, PC4116, PC5108, PC5108D

**Control unit subassemblies**, Model(s) PC4632, PC4664, PC4701 dual dialer module, PC4702BP bell output module, PC5200, PC5204

**Control unit subassemblies**, Model(s) TL260GS, IP/GSM-GPRS Communicator, GS2060 GSM-GPRS Communicator, TL260 IP Communicator for use with separately listed control units as indicated in installation instructions, PC1616(d), PC1832(d), PC1864(d)

**Control unit, enclosures**, Model(s) AMP-704., PC4050C, PC4050CR, PC5003C, PC500C

Model(s) PC5320

Model(s) TL265GS, GS2065 GSM-GPRS Communicator for use with separately listed control units as indicated in installation instructions, PC9155D-433 and PC9155G-433

(a) - For use with at least one Model LCD-4501 keypad and other Listed devices as indicated in the installation wiring diagram and instructions.

(b) - For use with the Model PC1864, PC1832, PC1616

(c) - For use with Models PC4020 control units.

(d) - Intended for use with other Listed devices as indicated in the installation instructions to form a combination fire, burglary, and home health care warning system. Each control unit subassembly incorporates a digital alarm communicator transmitter. (Dual Signal Line when control unit with its integrated DACT is used in conjunction with a separately listed Alarm Communicator Model TL260GS, GS2065, GS3055-I/GS3060/GS3060-RF or T-Link TL250/300, configuration capable of Standard/Encrypted Line Security.

(e) - Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) when used with separately Listed control units as indicated in the installation instructions.

(f) - For use with the Model PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433

Last Updated on 2011-02-23

---

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2011 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2011 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

