



## NBSX.BP6524 Household Burglar Alarm System Units

Page Bottom

### Household Burglar Alarm System Units

[See General Information for Household Burglar Alarm System Units](#)

**DIGITAL SECURITY CONTROLS, DIV OF TYCO SAFETY PRODUCTS CANADA LTD**

BP6524

95 BRIDGELAND AVE  
TORONTO, ON M6A 1Y7 CANADA

**Combination household fire and burglary warning system control units**, Models PC-4020 for use with at least one Model LCD-4501 keypad and other Listed devices as indicated in the installation wiring diagram and instructions.

**Combination system fire and household burglary warning system control units**, Models PC580, PC585 with Models RM-1 EOLR and at least one Model PC1555RKZ or LED5511 or LCD5511 control unit accessory keypad. For use with other separately Listed devices as indicated in the manufacturer's installation instructions to form a control unit system. Each control unit contains an integral digital alarm communicator transmitter.

**Control unit accessories**, Models WS4938 wireless panic button, WS4939 wireless keyfob. For use with other separately compatibly Listed devices as indicated in the manufacturer's installation instructions.

**Control unit accessories**, Models PK5500, PK5501, PK5508, PK5516 keypads; Models RFK5500-433, RFK5501-433, RFK5508-433, RFK5516-433, RFK5564-433 wireless keypads. For use with separately Listed compatible control units as indicated in the installation instructions.

**Control unit accessories**, Model AML-770X short circuit isolator, where the "X" is the letter A, B or C; Model AML-900 back box.

**Control unit assemblies**, Model ESCORT PC4580 voice assisted security module for use with Model PC4020 control unit.

**Control unit assemblies**, Models P4108, P4108A, PC4108, PC-4108A, PC-4116 zone expanders; Model PC4216 switched transistor output module.

**Control unit enclosures**, Models PC5003C, PC4050C, PC4050CR, PC-4056C, PC-5004C.

**Control unit accessories**, Models PC4401, KT4401VK serial interface module for use with Model PC4020 control units.

**Control unit accessories**, Models AMA-100, AMB-300, AMP-700, AMP-701, AMB-600 are intended to be use with a compatible control unit/receiver as indicated in the installation instruction.

**Control unit accessories**, Model PC4164-433 receiver, PC5320 multiple wireless receiver module; Models RF5132-433 and RF4614-433 RF receivers. For use with other separately compatibly Listed devices as indicated in the manufacturer's installation instructions.

Model TR5164-433 receiver and transmitter module. For use with other separately compatibly Listed devices as indicated in the manufacturer's installation instructions.

**Control unit accessories**, Models PKP-400, PKP-ICN, PKP-LCD keypads.

**Control unit assemblies**, Models PC5100 , PC5108 , PC5208 .

**Control unit accessories**, Models PC5580TC , PC5400 , PC5204 .

Intended for installation by experienced installers only.

**Control unit assembly**, Models PC5200.

**Combination control unit subassemblies**, Models PC1616, PC1832, PC1864, intended for use with other Listed devices as indicated in the installation instructions to form a combination fire, burglary, and home health care warning system. Each control unit subassembly incorporates a digital alarm communicator transmitter.

**Control unit accessories**, Models GS3055-I GSM-GPRS Interface, GS3060 GSM-GPRS Interface, GS3060-RF GSM-GPRS Interface. Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) with Listed compatible control

units as indicated in the installation instructions; Model GS-BOOST Telco Voltage Booster, for use with Model GS3060 or GS3060-RF.

**Control unit assemblies**, Models AMX-400, AMP-704 for use with separately Listed control panels as indicated in the installation instructions.

**Control unit enclosure**, Model AMP-704 enclosure.

**Control unit assemblies**, Models T-Link TL250 , T-Link TL300 ethernet communicator, for use with separately Listed Control Unit as indicated in the Installation Instructions.

**Wireless contact**, Model WS4945NA.

**Combination Burglary and Fire alarm system Control units**, Models SCW9047-433, SCW9447-433, SCW9045-433 short range low power RF and hardwire system.

**Combination Burglary and Fire alarm system control units**, Models PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433 short range low power RF and hardwire system. Standard and Encrypted line security when used in conjunction with TL265GS IP/GSM-GPRS Communicator or GS2065 GSM-GPRS Communicator or TL265 IP Communicator.

**Burglary alarm system control unit accessories**, Models WT5500-433, WT5500P-433 Wireless Keypad, WT4901 Wireless Indoor Siren, WT4911 Wireless Outdoor Siren for indoor and outdoor use, PT4 and WT4989 Wireless key for use with PC9155 and SCW9055/57wireless systems.

**Control unit subassemblies**, Models TL260GS, TL260GS-SM, TL260GS-RS, TL265GS, TL255GS-SM-NA, TL255GS-NA, TL2753G, IP/GSM-GPRS Communicators; Models TL260, TL260-SM, TL260-RS, TL265 IP Communicators and Models GS2060, GS2060-SM, GS2060-RS, GS2065, GS2055-SM-NA, GS2055-NA GSM-GPRS Communicators, for use with separately Listed Control Unit as indicated in the Installation Instructions.

**Combination burglary warning system, control unit accessories**, Models PG9901(\*\*\*), PG9911(\*\*\*) sirens. For use with Listed Combination Control Units, Models HS2128, HS2064, HS2032, HS2016 when used in conjunction with the compatible Wireless Transceiver Model HSM2HOST9 or Keypads with integrated wireless transceiver models HS2LCDRF(P)9 or HS2ICNRF(P)9.

Model PG9920(\*\*\*) repeater. For use with Listed Combination Control Units, HS2128, HS2064, HS2032, HS2016 when used in conjunction with the compatible Wireless Transceiver Model HSM2HOST9 or Keypads with integrated wireless transceiver models HS2LCDRF(P)9 or HS2ICNRF(P)9.

**Combination household fire and burglary warning system control units**, Models SCW9055-433, SCW9055D-433, SCW9055G-433, SCW9055I-433, SCW9055D-SM-433, SCW9055G-SM-433, SCW9055I-SM-433, SCW9057-433, SCW9057D-433, SCW9057G-433, SCW9057I-433, SCW9057D-SM-433, SCW9057G-SM-433, SCW9057I-SM-433 short range low power RF and hardwire systems with integrated sounder.

**Control unit subassemblies**, Models TL2553G-SM-NA, TL2553G-NA, IP/GSM-GPRS Communicators, 3G2055-SM-NA, 3G2055-NA, 3G2075 GSM-GPRS Communicators, TL255-SM-NA, TL255-NA, TL275, IP Communicators, for use with separately listed control units as indicated in installation instructions.

**Control unit enclosures**, Models PC500C and PC5003C.

**Control unit accessories**, Models PRM 2W, PRM 2WC, PRM 4W, PRM 4WC Power Reversal modules intended for use with separately Listed control units as indicated in the installation instructions.

**Control unit subassemblies**, Models PC4632, PC4664 Remote Annunciators

**Control unit subassembly**, Model PC4701 dual dialer module.

**Control unit subassembly**, Model PC4702BP Bell output module.

**Household burglary warning system, control unit accessories**, Models PG9929 (\*\*) and PG9939(\*\*) keyfob. For use with Listed Combination Control Units, Models HS2128, HS2064, HS2032, HS2016 when used in conjunction with the compatible Wireless Transceiver Model HSM2HOST9 or Keypads with integrated wireless transceiver models HS2LCDRF(P)9 or HS2ICNRF(P)9.

(\*\*) Complementary Listed under: NBSX7.

(\*\*\*) Complementary Listed under: NBSX7 and S4019 UTOU and UTOU7.

Last Updated on 2014-01-08

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2014 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2014 UL LLC".