



Date: October 25, 2016

To: USA Distributors

Wireless Photoelectric Smoke Detector

WS4936



Introduction

DSC is launching a new wireless smoke detector; WS4936.

The WS4936 is a low-profile wireless photoelectric smoke detector that is ideal for difficult-to-wire residential applications. With no wires to run, installers save time and money by moving quicker through the installation process. The WS4936 only requires a screwdriver and any DSC 433 MHz wireless receiver for installation.

This smoke detector has a built-in alarm horn, integral dual-sensor heat detector and automatic drift compensation.

Market Segments

The WS4936 is the ideal solution for residential premise security systems for dealers and installers. The WS4936 features state of the art drift compensation technology to provide a constant level of sensitivity performance for extended operation. As dust accumulates in the detector, it adjusts to maintain the original factory-set sensitivity, thereby minimizing the potential for nuisance alarms.



Available to North American based dealers and installers, this is the perfect solution to help reduce unnecessary service calls and their associated costs.

Use cases

The WS4936 is compatible with all DSC 433 MHz wireless receivers. Its self-test functionality and hush feature makes it ideal for easy usage in residential properties.

Main Features

Main Feature	Customer Benefit	Value
Drift Compensation	Higher reliability and resistance to nuisance alarms	Ensures fewer nuisance alarms, reducing unnecessary service calls, their associated costs, and hassle
Wireless profile design	Ideal for difficult-to-wire residential premises	Save time and costs associated with wired installations
3 AAA batteries	Easy to find affordable batteries	Save time and cost on sourcing replacement batteries

Compatibility

- IMPASSA Self-Contained 2-Way Wireless Security System
- ALEXOR 2-Way Wireless Security System
- SCW9045/9047 Self-Contained Wireless Security System
- PowerSeries Wireless Receivers: PC5132-433 / RF5132-433 / RF5108-433 / TR5164-433
- PowerSeries RFK Keypads RFK55XX-433
- MAXSYS Wireless Receiver PC4164-433 / RF4164-433
- WS4920 Wireless Repeater
- DSC Touch



Availability

- In Stock Now
- FCC/IC, UL/ULC approved
- US markets
- DSC brand

Ordering Information

Model	Description	Carton Qty*
WS4936	Wireless photoelectric smoke detector	20

*Number of units per carton.

Order Entry Contact

1-888-888-7838

Sales Contact

For additional information please contact your local sales representative or email info@dsc.com

Technical Support Contact

North America: +1-800-387-3630
tech@dsc.com