

Discontinuation Notice

IMPASSA Kits

Date: October 7, 2020 **Product:** IMPASSA Kits

Region: US

Brand: Tyco | DSC



Scope

We would like to let you know that as of October, 2020, the IMPASSA kits listed below will no longer be available, with no direct replacements. To assist with this transition, the replacement IMPASSA panel models listed at right can be combined with standalone detectors and communicators to make up an equivalent to each of the discontinued kits.

Affected Products

Part Number	Description	Replacement Part Number	Replacement Descripti
KIT457-2	IMPASSA self-contained wireless kit, containing one WS4904P wireless pet immune passive infrared detector, one WS4939	SCW457CJ	IMPASSA standalone unit that is ready. Includes 64 zone self-co alarm system with built-in two-ways and the system with the syst

I	four-button wireless key, two		NIMH battery, transformer, telephone jack an
	WS4945 wireless door/window		cord and English user and Instal ation manua
	contact, transformer, telephone		
	jack and cord and English user		
	and installation manuals		
	IMPASSA self-contained wireless		
	kit, containing one WS4904P		
	wireless pet immune		
	passive infrared detector, one		
KIT457-2FRE	WS4939 four-button wireless key,		
	Two WS4945 wireless	SCW457CFRE	SCW9057-433 CDN STDALONE FRE
	door/window contact, transformer,		
	telephone jack and cord and		
	French user and installation		
	manuals.		
	IMPASSA self-contained wireless		
	kit, ADT branded, containing one		
	WS4904P wireless pet-immune		IMPASSA standalone unit, ADT branded, tha
	passive infrared detector, one		cellular-ready. Includes 64 zone self-containe
KIT457-	WS4939 four-button wireless key,	00\4\4574 DTO	wireless alarm system with built-in two-way
88ADT	two WS4945 wireless door/window	SCW457ADTC	voice, a 7.2V NIMH
ı	contact, transformer, telephone		battery, transformer, telephone jack and cord
	jack and cord. English user and		and English user and Installation manuals.
	installation manuals.)		Installation manuals.
	Alarm.com Interactive Kit. Includes		
I	IMPASSA V1.3 self-contained		
I	wireless		IMPASSA standalone unit that is 3G-Ready.
I	kit, integrated 3G8055 Rogers		Includes 64 zone self-contained
KIT457-	cellular communicator with on-		wireless alarm system with built-in two-way
88ARG	board Z-Wave exclusive to	SCW457CJ	voice, a 7.2V NIMH
	Alarm.com services, 1 x WS4904P		battery, transformer, telephone jack and cord
I	wireless pet immune		and English user and
	passive infrared detector, 1 x		Installation manuals.
I	WS4939 four-button wireless key,		
	3x WS4945 wireless door/window		

		<u> </u>	I	
	contact, PTD1620U 16V 20VA			
	transformer and a battery			
	IMPASSA self-contained wireless			
	kit, containing integrated 3G GSM		IMPASSA standalone unit that is 3G-Ready.	
	cellular communicator, one		Includes 64 zone self-contained	
	WS4904P wireless pet-immune		wireless alarm system with built-in two-way	
KIT457-88H	passive infrared detector, one	SCW457CJ	voice, a 7.2V NIMH battery, transformer, telephone jack and cord and English user and Installation manuals.	
	WS4939 four-button wireless key,			
	two WS4945 wireless door/window			
	contact, transformer, telephone			
	jack and cord and English user			
	and installation manuals.			
	IMPASSA self-contained wireless			
	kit, containing integrated 3G GSM	SCW457CJFRE	INTRACOR A LA COMPANIA DE COMP	
	cellular communicator, one		IMPASSA standalone unit that is 3G-Ready.	
	WS4904P wireless pet-immune		Includes 64 zone self-contained	
I (I T 4 5 7	passive infrared detector, one		wireless alarm system with built-in two-way	
KIT457-	WS4939 four-button wireless key,		voice, a 7.2V NIMH	
88HFRE	two WS4945 wireless door/window		battery, transformer, telephone jack and cord	
	contact, transformer, telephone		and English user and	
	jack and cord and French user and		Installation manuals.	
	installation manuals.			
	IMPASSA self-contained wireless			
	kit, ADT branded, containing			
	integrated 3G GSM cellular		IMPASSA standalone unit, ADT branded, that	
	communicator, one WS4904P	SCW457ADTC	cellular-ready. Includes 64 zone self-contained	
KIT457-	wireless pet-immune		wireless alarm system with built-in two-way	
88HSADT	passive infrared detector, one		voice, a 7.2V NIMH	
	WS4939 four-button wireless key,		battery, transformer, telephone jack and cord	
	two WS4945 wireless door/window		and English user and	
	contact, transformer, telephone		Installation manuals.	
	jack and cord. English user and			
	installation manuals			
			IMPACCA -td-l	
SCW457AAT-	IMPASSA standalone unit with		IMPASSA standalone unit that is 3G-Ready.	
SCW457AAT- ENG	IMPASSA standalone unit with integrated HSPA (3G)	SCW457CJ	Includes 64 zone self-contained	

	self-contained wireless alarm		voice, a 7.2V NIMH
•	system with built-in		battery, transformer, telephone jack and cord
•	3G8055 AT&T HSPA cellular		and English user and
•	communicator with on-board Z-		Installation manuals.
•	Wave exclusive to Alarm.com, a		
•	7.2V NI-MH battery, telephone jack		
•	and cord and English installation		
	Manual.		
	IMPASSA standalone unit with		IMPASSA standalone unit that is 3G-Ready.
•	integrated HSPA (3G)		Includes 64 zone self-contained
•	communicator. Includes 64 zone		wireless alarm system with built-in two-way
2014/457AAT	self-contained wireless alarm		voice, a 7.2V NIMH
SCW457AAT-	system with built-in 3G8055 AT&T	SCW457CJ	battery, transformer, telephone jack and cord
FRE	HSPA cellular communicator with	3G8055AT	and English user and
	on-board Z-Wave exclusive to		Installation manuals.
•	Alarm.com, a 7.2V NI-MH battery,		
•	telephone jack and cord and		Alarm.com IMPASSA AT&T HSFA
	French installation Manual.		Communicator
	IMPASSA standalone unit with		
•	integrated HSPA (3G)		IMPASSA standalone unit that is 3G-Ready.
•	communicator. Includes 64 zone		Includes 64 zone self-contained
•	self-contained wireless alarm		wireless alarm system with built-in two-way
•	system with built-in 3G8055		voice, a 7.2V NIMH
SCW457ARG	Rogers HSPA cellular	SCW457CJFRE	battery, transformer, telephone jack and cord
•	communicator with on-board Z-	3G8055AT	and English user and
•	Wave exclusive to Alarm.com, no		Installation manuals.
•	image sensor module, a 7.2V NI-		
•	MH battery, telephone jack and		Alarm.com IMPASSA AT&T HSFA
•	cord and English installation		Communicator
	Manual.		
	IMPASSA standalone unit with		IMPASSA standalone unit that is 3G-Ready.
	integrated HSPA (3G)		Includes 64 zone self-contained
SCW457ARG-	communicator. Includes 64 zone	SCW457CJFRE	wireless alarm system with built-in two-way
FRE	self-contained wireless alarm	3G8055AT	voice, a 7.2V NIMH
•	system with built-in		battery, transformer, telephone jack and cord
•	3G8055 Rogers HSPA cellular		and English user and

communicator with on-board Z-	Installation manuals.
Wave exclusive to Alarm.com, no	
image sensor module, a 7.2V NI-	Alarm.com IMPASSA AT&T HSF
MH battery, telephone jack and	Communicator
cord and French installation	
Manual.	


Please be advised that effective immediately, the IMPASSA products listed above will be discontinued. New orders for these products will be accepted only while quantities last.

Schedule		
End-of-Life Announcement	October, 2020	
Last Buy Date	Effective Immediately	
Last Ship Date	N/A	

Note: Due to material availability, orders significantly higher than forecast or historical run rate may not be accepted.

Contact Information	
Order Entry	1-888-888-7838
Sales	Contact your local sales rep. or email info@d
Technical Support	North America: +1-800-387-3630 or email: intrusion-support@jci.com
Product Manager	Curtis Jay Curtis.Jay@jci.com





Johnson Controls

5757 N. Green Bay Avenue | P.O. Box 591 Milwaukee, WI 53201 | 441-524-1200

unsubscribe from this list update subscription preferences