

UL Product iQ™



# NBSX.S4019 - HOUSEHOLD BURGLAR ALARM SYSTEM UNITS

## Household Burglar Alarm System Units

See General Information for Household Burglar Alarm System Units

**TYCO SAFETY PRODUCTS CANADA LTD**

S4019

3301 LANGSTAFF RD

CONCORD, ON L4K 4L2 CANADA

**Accessories, End of Line Resistors** Model(s) EOLR-1, EOLR-2, EOLR-3**Accessories, keypads** Model(s) PKP-400, PKP-ICN, PKP-LCD**Burglar alarm system control unit accessories, wireless indoor sirens** Model(s) WT4901**Burglar alarm system control unit accessories, wireless keypads** Model(s) WT5500-433, WT5500P-433**Combination burglary and fire alarm system control units, short range low power RF and hardwire system** Model(s) PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433, Standard and encrypted line security when used in conjunction with TL265GS IP/GSM-GPRS communicator, GS2065 GSM-GPRS communicator or TL265 IP communicator**Combination burglary and fire alarm system control units, short range low power RF and hardwire systems** Model(s) SCW9045-433, SCW9047-433, SCW9447-433**Combination burglary and fire alarm system control units, short range low power RF with integrated sounders** Model(s) WS900-19, WS900-29**Combination control unit subassemblies** Model(s) PC1616, PC1832, PC1864, intended for use with other Listed devices as indicated in the installation instructions to form a combination fire, burglary, and home health care warning system, each control unit subassembly incorporates a digital alarm communicator transmitter.**Combination household fire and burglary alarm system control units, input 16.5 V ac, 60 Hz, 37 VA (using Class 2 limited energy transformers) "DSC Series"** Model(s) PC1404**Combination household fire and burglary warning system control units, short range low power RF and hardwire systems with integrated sounders** Model(s) SCW9055-433, SCW9055D-433, SCW9055D-SM-433, SCW9055G-433, SCW9055G-SM-433, SCW9055I-433, SCW9055I-SM-433, SCW9057-433, SCW9057D-433, SCW9057D-SM-433, SCW9057G-433, SCW9057G-SM-433, SCW9057I-433, SCW9057I-SM-433**Combination system fire and household burglary warning system control units** Model(s) PC580, PC585, with at least one Model PC1555RKZ, LED5511 or LCD5511 control unit accessory keypad; For use with other separately Listed devices as indicated in the manufacturer's installation instructions to form a control unit system. Each control unit contains an integral digital alarm communicator transmitter.**Control unit accessories** Model(s) PC5204, PC5400, PC5580TC**Control unit accessories (3G cellular alarm communicators), interface, fire alarm and security equipment** Model(s) 3G4000 GSM-GPRS/3G, 3G4000RF GSM-GPRS/3G (b)**Control unit accessories (IP/LTE alarm communicator)** Model(s) TL880LE, TL880LE-485, TL880LT, TL880LTE, TL880LTE-485**Control unit accessories (LTE cellular alarm communicators), interface, fire alarm and security equipment** Model(s) LE4000 (b)

**Control unit accessories, alarm communicators** Model(s) 3G4010 GSM-GPRS/3G

**Control unit accessories, back boxes** Model(s) AML-900

**Control unit accessories, interface** Model(s) GS3060 GSM-GPRS (b)

**Control unit accessories, interface, fire alarm and security equipment** Model(s) 3G3070 GSM-GPRS/3G (b), 3G3070-RF GSM-GPRS/3G (b)

**Control unit accessories, IP/LTE alarm communicators** Model(s) TL880LT, intended for use as primary communication means or as back-up when used in conjunction with a Listed DACT or PSDN communicator; for use with compatible control units as indicated in the product's installation instructions.

**Control unit accessories, keyfobs, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only** Model(s) PG9929, PG9938, PG9939, PG9949

**Control unit accessories, keypads** Model(s) PC1404RKZ\*, PK5500\*, PK5501\*, PK5508\*, PK5516\*, PTK5507\*

**Control unit accessories, keypads with RF receivers, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only** Model(s) HS2ICNRF9, HS2ICNRF9P, HS2LCDRF9, HS2LCDRF9P, HS2LCDRF9P9

**Control unit accessories, keypads, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only** Model(s) HS2ICN, HS2ICNP, HS2LCD, HS2LCDP, HS2LCDPRO, HS2LED, HS2TCHP, HS2TCHPRO, HS2TCHPROBLK

**Control unit accessories, large audio stations** Model(s) PC5964E

**Control unit accessories, LTE alarm communicators** Model(s) LE4010, LE4020

**Control unit accessories, multiple wireless receiver modules** Model(s) PC5320\*

**Control unit accessories, power reversal modules** Model(s) PRM 2W\*, PRM 2WC\*, PRM 4W\*, PRM 4WC\*

**Control unit accessories, receiver and transmitter module** Model(s) TR5164-433\*

**Control unit accessories, receivers, input 11.6 - 12.6 V dc** Model(s) PC4164-433\*

**Control unit accessories, repeaters** Model(s) WS4920 RF

**Control unit accessories, RF receivers** Model(s) RF4614-433\*, RF5132-433\*

**Control unit accessories, RF receivers, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only** Model(s) HSM2HOST9, PG9920

**Control unit accessories, serial interface modules, for use with model PC4020 control units** Model(s) KT4401VK, PC4401

**Control unit accessories, short circuit isolators** Model(s) AML-770A, AML-770B, AML-770C

**Control unit accessories, small audio stations** Model(s) PC5961E

**Control unit accessories, subassemblies, PCB assemblies** Model(s) LE4010 PCB, LE4020 PCB

**Control unit accessories, Telco voltage boosters, for use with model GS3060 or GS3060-RF** Model(s) GS-BOOST

**Control unit accessories, wireless keypads** Model(s) HS2LCDWFPV9, HS2LCDWFP9 and HS2LCDWF9, for use with listed combination control unit models HS2128, HS2064, HS2032, HS2016, when used in conjunction with the compatible wireless transceiver model HSM2HOST9, model PG9920 rf repeater, or keypads with integrated wireless transceiver models HS2LCDRF(P)9 or HS2ICNRF(P)9.

HS2LCDWFPV9P9, HS2LCDWFP9P9 for use with listed combination control unit models HS3248, HS3128, HS3032 when used in conjunction with the compatible wireless transceiver model HSM2HOST9, model PG9920 rf repeater, or keypads with integrated wireless transceiver models HS2LCDRF9P9

RFK5500-433\*, RFK5501-433\*, RFK5508-433\*, RFK5516-433\*, RFK5564-433\*

**Control unit accessories, wireless sirens, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only** Model(s) PG9901, PG9911

**Control unit accessory subassemblies, communicator board** Model(s) ADC-620T, ADC-620TF

**Control unit accessory subassembly, communicator board** Model(s) ADC-620TE

**Control unit accessory subassembly, communicator board. For use in model TL880LT communicator.** Model(s) ADC-620T IP/LTE

**Control unit assemblies** Model(s) AMP-704\*, AMX-400\*, PC5100, PC5108, PC5200, PC5208

**Control unit assemblies, ethernet communicator** Model(s) T-Link TL250\*, T-Link TL300\*

**Control unit assemblies, switched transistor output modules** Model(s) PC4216

**Control unit assemblies, voice assisted security modules, for use with model PC4020 control unit** Model(s) ESCORT PC4580

**Control unit assemblies, zone expanders** Model(s) PC-4108A, PC-4116, PC4108

**Control unit enclosures** Model(s) AMP-704, PC-5004C, PC4050C, PC4050CR, PC5003C, PC500C

**Control unit subassemblies (3G cellular alarm communicators)** Model(s) 3G7090

**Control unit subassemblies (LTE cellular alarm communicators) interface** Model(s) LT7090

**Control unit subassemblies, alarm controller** Model(s) HS2016, HS2032, HS2064, HS2128

**Control unit subassemblies, audio verification interfaces** Model(s) HSM2955, HSM2955R

**Control unit subassemblies, bell output modules** Model(s) PC4702BP

**Control unit subassemblies, communicator** Model(s) GS2055-SM-NA\*, GS2060-RS\*, GS2060-SM\*, GS2065\*

**Control unit subassemblies, communicator expander** Model(s) PCL-422 TLINK, for use exclusively with models TL2803GR, TL2803G IP/GSM-GPRS Dual Alarm Communication Interface, 3G2080, 3G2080R GSM-GPRS Alarm Communication Interface, TL280, TL280R IP Alarm Communication Interface.

PCL-485

**Control unit subassemblies, dual dialer modules** Model(s) PC4701

**Control unit subassemblies, GSM-GPRS alarm communication interface** Model(s) 3G2080\*, 3G2080R\*

**Control unit subassemblies, GSM-GPRS communicator** Model(s) 3G2055-E, 3G2055-NA, 3G2055-SM-NA, 3G2055R-E, 3G2075

**Control unit subassemblies, IP alarm communication interfaces** Model(s) TL280\*

**Control unit subassemblies, IP communicator** Model(s) TL255\*, TL255-E\*, TL255-SM-NA\*, TL255GS-NA\*, TL255GS-SM-NA\*, TL255R-E\*, TL260\*, TL260-RS\*, TL260-SM\*, TL260GS-RS\*, TL260GS-SM\*, TL260R\*, TL265\*, TL265GS\*, TL275\*, TL2753G\*, TL280\*, TL280R\*

**Control unit subassemblies, IP/GSM-GPRS communicator** Model(s) TL2553G-E, TL2553G-NA, TL2553G-SM-NA, TL2553GR-E

**Control unit subassemblies, IP/GSM-GPRS dual alarm communication interface** Model(s) TL2603G\*, TL2803G\*, TL2803GR\*

**Control unit subassemblies, PCB assembly** Model(s) 3G4010

**Control unit subassemblies, PCB assembly, fire alarm and security subassembly** Model(s) 3G3070 (b)

**Control unit subassemblies, PGM output modules** Model(s) HSM2208

**Control unit subassemblies, power supplies** Model(s) HSM2204, HSM2300

**Control unit subassemblies, PSDN communicators, GSM** Model(s) 3G2060\*, 3G2060R\*, 3G2080\*, 3G2080R\*

**Control unit subassemblies, PSDN communicators, IP/GSM communicator** Model(s) TL2603GR\*

**Control unit subassemblies, remote annunciators** Model(s) PC4632, PC4664

**Control unit subassemblies, Wi-Fi interface** Model(s) WiFi422SCW

**Control unit subassemblies, zone expanders** Model(s) HSM2108

**Fire alarm and security subassemblies, communicator expansion interface board** Model(s) PCL-422

**Fire alarm and security subassemblies, GSM-GPRS alarm communication interface** Model(s) 3G2080 (a)

**Fire alarm and security subassemblies, IP alarm communication interface** Model(s) TL280E (a), TL280R (a)

**Fire alarm and security subassemblies, IP/GSM-GPRS dual alarm communication interface** Model(s) TL2803G (a), TL2803GR (a)

**Fire alarm and security subassemblies, IP/LTE dual alarm communication interface** Model(s) TL280LE (a), TL280LER (a)

**Fire alarm and security subassemblies, LTE alarm communication interface** Model(s) LE2080 (a), LE2080R (a)

**Household fire and burglar alarm system control unit accessories, wireless keypad models** Model(s) WTK5504-433, WTK5504P-433

## Investigated to ANSI/SIA CP-01 (2014)

**Control unit assemblies, zone expanders** Model(s) HSM3408

**Control unit subassemblies (LTE cellular alarm communicators)** Model(s) LE7090, LT7090E

**Control unit subassemblies, enclosures** Model(s) HSC3020C

**Control unit subassemblies, 3G cellular alarm communicators** Model(s) 3G9080, 3H9080

**Control unit subassemblies, alarm controllers** Model(s) HS3248 PCB, HS3128 PCB, HS3032 PCB

**Control unit subassemblies, enclosures** Model(s) HSC3010C

**Control unit subassemblies, LTE/3G Alarm communicator** Model(s) LE9080

**Control unit subassemblies, power supplies** Model(s) HSM3350

**Subassemblies, Corbus Repeater, power supply module** Model(s) HSM3204CX

## Investigated to ANSI/SIA CP-01 (2010)

**Control unit subassemblies, IP/LTE alarm communicator** Model(s) TL8055LT

**Control unit subassemblies, LTE/3G Alarm communicator** Model(s) LE2077

(a) - Suitable for use as a household fire and burglary warning system subassembly and as a commercial burglar alarm system control unit subassembly.

(b) - Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) with Listed compatible control units as indicated in the installation instructions.

\* - For use with separately listed control units as indicated in the installation instructions.

Last Updated on 2019-06-05

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"