



UTOU.S4019 Control Units and Accessories, Household System Type

[Page Bottom](#)

Control Units and Accessories, Household System Type

[See General Information for Control Units and Accessories, Household System Type](#)

DIGITAL SECURITY CONTROLS, DIV OF TYCO SAFETY PRODUCTS CANADA LTD

S4019

95 BRIDGELAND AVE
TORONTO, ON M6A 1Y7 CANADA

Combination burglary warning system, control unit accessories, Model(s) PG9901(**) [a], PG9911(**) [a]

Combination burglary warning system, control unit accessory, Model(s) PG9920(**) repeater [a]

Combination control unit subassemblies, Model(s) GS2065 GSM-GPRS Communicator, for use with separately Listed Control Unit as indicated in the Installation Instructions

PC1616(d), PC1832(d), PC1864(d)

TL260 IP Communicator for use with separately listed control units as indicated in installation instructions

TL2753G, 3G2075, TL275

Combination household fire and burglary alarm system control unit, Model(s) Input: 16.5 V ac, 60 Hz, 37 VA (using Class 2 limited energy transformers). DSC: Model PC1404.

Combination household fire and burglary warning system control unit subassemblies, Model(s) TL265GS IP/GSM-GPRS Communicators, TL265 IP Communicators, GS2065 GSM-GPRS Communicator, for use with separately Listed Control Unit as indicated in the Installation Instructions, PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433 (f)

WiFi422SCW Wi-Fi interface

Combination household fire and burglary warning system control units, Model(s) PC4020 (a), PC580, PC585, PC9155-433, PC9155D-433

PC9155G-433 short range low power RF and hardwire system.

PC9155I-433, SCW9045-433, SCW9047-433, SCW9055-433, SCW9055D-433, SCW9055D-SM-433, SCW9055G-433, SCW9055G-SM-433, SCW9055I-433, SCW9055I-SM-433, SCW9057-433, SCW9057D-433, SCW9057D-SM-433, SCW9057G-433, SCW9057G-SM-433, SCW9057I-433, SCW9057I-SM-433, SCW9447-433

Control unit accessories, Model(s) 3G3070 (e) and 3G3070-RF (e) GSM-GPRS/3G Interface, Fire Alarm and Security Equipment. Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) with Listed compatible control units as indicated in the installation instructions.

3G4000, 3G4000RF - Communicators, for use with separately listed control units as indicated in installation instructions

3G4010 PCB Assembly, 3G4010, alarm communicator

3G8080, 3G8080I - Communicators, for use with separately listed control units as indicated in installation instructions

AML 900X where "X" is the Letter A, B or C, AML-770X where "X" is the Letter A, B or C, AMP-704

AMP-704 for use with separately Listed control panels as indicated in the installation instructions.

CD8080, CD8080I - Communicators, for use with separately listed control units as indicated in installation instructions

EOLR-1, EOLR-2, EOLR-3, GS3060 GSM-GPRS (e), GS3060-RF GSM-GPRS (e)

IP/GSM-GPRS (e) Interfaces, Fire Alarm and Security Equipment.

PC5100 (b), PKP-400, PKP-ICN, PKP-LCD

PRM 2W, PRM 2WC, PRM 4W, PRM 4WC Power Reversal modules intended for use with separately Listed control units as indicated in the installation instructions.

RM-1, WS4920 RF repeater.

WT4901 Wireless Indoor Siren for use with PC9155 Wireless system.

WT5500-433, WT5500P-433 Wireless Keypad

Control unit accessories for supplementary features, Model(s) PC5961E, PC5964E

Control unit accessories, interfaces, Model(s) GS-BOOST Telco Voltage Booster, for use only with Model GS3060

Control unit accessories, keypads, Model(s) LCD-4501, LCD-4501T, LCD5511, LED5511, PC1555RKZ, PK5500, PK5501, PK5508, PK5516, PTK5507, RFK5500-433, RFK5501-433, RFK5508-433, RFK5516-433, RFK5564-433

Control unit accessories, multiple wireless RF receiver modules, Model(s) RF5108-433

Control unit accessories, RF receivers, Model(s) PC4164-433, RF4164-433, RF5132-433

Control unit accessories, RF receivers/transmitters, Model(s) TR5164-433

Control unit accessories, wireless keypads, Model(s) HS2LCDWF9 (h), HS2LCDWFP9 (h), HS2LCDWFPV9 (h)

Control unit accessory, Model(s) 3G4010 Communicator, for use with separately listed control units as indicated in installation instructions

HS2LCD, HS2LCDP, HS2ICN, HS2ICNP, HS2LED Keypads, Models HS2LCDRF9, HS2LCDRFP9, HS2ICNRF9, HS2ICNRF9P Keypads with RF receiver, Model HSM2HOST9 RF Receiver, Model, PG9920 RF Repeater, Models PG9901, PG9911 Wireless Sirens . All Accessories are compatible with the model HS2128, HS2064, HS2032, HS2016 alarm controllers only).

Keypad, PC1404RKZ. For use with separately Listed compatible control units as indicated in the installation instructions.

Control unit assemblies, Model(s) AMX-400, PC4580, PC5580TC

Control unit assemblies, ethernet communicators, Model(s) T-Link TL250, T-Link TL300

Control unit assemblies, serial interface modules, Model(s) KT4401VK, PC4401 (c), PC5400

Control unit assemblies, switched transistor output modules, Model(s) PC4216, PC5208

Control unit assemblies, zone expanders, Model(s) PC4108, PC4116, PC5108, PC5108D

Control unit subassemblies, Model(s) 3G2055-NA, 3G2055-SM-NA, 3G2060, 3G2060R, 3G2080

3G2080R GSM-GPRS Alarm Communication Interface

3G8055, 3G8055 NEO, 3G8055I NEO, 3G8055I, CD8055, CD8055 NEO, CD8055I NEO, CD8055I, GS2055-NA, GS2055-SM-NA, GS2060-RS, GS2060-SM, HS2016(g) (Alarm Controller), HS2032(g), HS2064(g), HS2128(g), HSM2108 (Zone expander), HSM2204 (Power Supply), HSM2208 (PGM Output Module), HSM2300, PC4632, PC4664, PC4701 dual dialer module, PC4702BP bell output module, PC5200, PC5204

PCL-422 TLINK communicator expander. For use exclusively with models Model TL2803GR, TL2803G IP/GSM-GPRS Dual Alarm Communication Interface, 3G2080, 3G2080R GSM-GPRS Alarm Communication Interface, TL280, TL280R IP Alarm Communication Interface

TL255, TL255-SM-NA, TL2553G-NA, TL2553G-SM-NA, TL255GS-NA, TL255GS-SM-NA, TL260, TL260-RS, TL260-SM, TL2603G, TL2603GR

TL260GS, IP/GSM-GPRS Communicator, GS2060 GSM-GPRS Communicator, TL260 IP Communicator for use with separately listed control units as indicated in installation instructions, PC1616(d), PC1832(d), PC1864(d)

TL260GS-RS, TL260GS-SM, TL260R, TL280

TL2803G IP/GSM-GPRS Dual Alarm Communication Interface

TL2803GR

TL280R IP Alarm Communication Interface for use with separately Listed Control Units as indicated in the Installation Instructions.

Control unit subassembly, Model(s) 3G3070 PCB Assembly, Fire Alarm and Security Subassembly. Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) with Listed compatible control units as indicated in the installation instructions.

3G4010 PCB Assembly, Fire Alarm and Security Subassembly. Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) with Listed compatible control units as indicated in the installation instructions.

Control unit, enclosures, Model(s) AMP-704, PC4050C, PC4050CR, PC5003C, PC500C

Fire Alarm and Security Subassembly, Model(s) 3G2080R, 3G2080 GSM-GPRS Alarm Communication Interface, suitable for use as a household fire and burglary warning system subassembly, and as a commercial burglar alarm system control unit subassembly.

PCL-422 Communicator expansion interface board.

TL2803GR, TL2803G IP/GSM-GPRS Dual Alarm Communication Interface, suitable for use as a household fire and burglary warning system subassembly, and as a commercial burglar alarm system control unit subassembly.

TL280R, TL280 IP Alarm Communication Interface, suitable for use as a household fire and burglary warning system subassembly, and as a commercial burglar alarm system control unit subassembly.

Fire Alarm and Security Subassembly for supplementary features, Model(s) HSM2955, HSM2955R

Fire Alarm, Security and Emergency Signaling Equipment, Model(s) HS2TCHP

Household fire and burglar alarm system control unit accessories, also suitable for use as commercial burglary warning system control unit accessories, Wireless Keypad, Model(s) WTK5504P-433, WTK5504-433

Model(s) PC5320

Model(s) TL265GS, GS2065 GSM-GPRS Communicator for use with separately listed control units as indicated in installation instructions, PC9155D-433 and PC9155G-433

(a) - For use with at least one Model LCD-4501 keypad and other Listed devices as indicated in the installation wiring diagram and instructions.

(b) - For use with the Model PC1864, PC1832, PC1616

(c) - For use with Models PC4020 control units.

(d) - Intended for use with other Listed devices as indicated in the installation instructions to form a combination fire, burglary, and home health care warning system. Each control unit subassembly incorporates a digital alarm communicator transmitter. (Dual Signal Line when control unit with its integrated DACT is used in conjunction with a separately listed Alarm Communicator Model TL260GS, GS2065, GS3055-I/GS3060/GS3060-RF or T-Link TL250/300, configuration capable of Standard/Encrypted Line Security).

(e) - Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) when used with separately Listed control units as indicated in the installation instructions.

(f) - For use with the Model PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433

(g) - Intended for use with other Listed devices as indicated in the installation instructions to form a combination fire, burglary, and home health care warning system. Each control unit subassembly incorporates a digital alarm communicator transmitter. (Dual Signal Line when control unit with its integrated DACT is used in conjunction with a separately listed Alarm Communicator Model TL2803GR, TL2803G IP/GSM-GPRS Dual Alarm Communication Interface, 3G280,3G280R GSM-GPRS Alarm Communication Interface, TL280,TL280R IP Alarm Communication Interface, configuration capable of Standard/Encrypted Line Security)

(h) - For use with Listed Combination Control Units, Models HS2128, HS2064, HS2032, HS2016 when used in conjunction with the compatible Wireless Transceiver Model HSM2HOST9 or Keypads with integrated wireless transceiver models HS2LCDRF(P)9 or HS2ICNRF(P)9.

** - Complementary Listed under: BP6524 NBSX, NBSX7.

[a] - For use with Listed Combination Control Units, Models PMASTER-10 G2 and PMASTER-30 G2

Last Updated on 2015-06-04

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".