

## Table of Contents

1.	Introduction .....	1
2.	Specifications .....	1
	PC4400 connected to a serial printer .....	1
	PC4400 connected to a DVAC network .....	1
3.	Installing the PC4400 .....	1
3.1	Unpacking .....	1
3.2	Mounting the Cabinet .....	1
3.3	Wiring.....	1
3.4	PC4400 Hookup Diagram .....	2
3.5	Applying Power .....	2
4.	Enrolling the Module.....	3
5.	Programming the Module.....	3
5.1	Baud Rate.....	3
5.2	DVAC Options .....	3
5.3	DVAC Identifiers .....	3
5.4	Default DVAC.....	6
5.5	Trouble Conditions.....	6
	<b>Programming Worksheets .....</b>	<b>7</b>
	Baud Rate .....	7
	DVAC Options .....	7
	Default DVAC Programming .....	7
	DVAC Identifiers .....	8
	Zone X Alarm/Restore.....	8
	DVAC Identifiers .....	9
	Zone X Trouble/Restore .....	9
	Zone X Fault/Restore.....	10
	Module Tamper/Restore.....	11
	Priority Alarms .....	11
	Openings and Closings by User .....	12
	Miscellaneous Openings and Closings .....	13
	Partition Openings and Closings .....	13
	System Maintenance.....	13
	PC4204 Troubles .....	13
	Fire Module .....	13
	Wireless – Low Batter.....	14
	Wireless – Low Battery.....	14
	Police Code (PC) .....	14
	DVAC Module.....	14
	<b>DVAC Identifiers .....</b>	<b>15</b>
	Function Bytes .....	15
	Alarm Function Bytes .....	15
	Trouble Function Bytes .....	15
	Bypass Function Bytes.....	16
	Supervisory Function Bytes .....	16
	Opening and Closing Function Bytes .....	16
	Miscellaneous Function Bytes .....	17
	7E/FE : Specific Message Function Byte.....	17

## 1. Introduction

The PC4400 module adds serial printer or DVAC communications capability to a MAXSYS PC4010 or PC4020 security system.

## 2. Specifications

- Four wire (QUAD) hook-up to Combus
- Normal current draw of 35 mA
- Tamper and Trouble reporting codes
- Low Combus supervision to Main Control Panel
- Maximum cable length: 200 feet (61 meters)

### PC4400 connected to a serial printer:

- True RS-232 technology
- Protocol XON/XOFF or DTR
- Five possible baud rates: 300, 600, 1200, 2400 or 4800

**NOTE:** 4800 Baud only available on PC4010/PC4020 V2.1 and above.

### PC4400 connected to a DVAC network:

- Automatic programming for DVAC function bytes and reporting codes.
- Programmable response type to all calls
- Monitoring for DVAC Line fault
- Module self diagnostics

## 3. Installing the PC4400

### 3.1 Unpacking

The PC4400 package includes the following parts:

- One PC4400 circuit board
- Four plastic stand-offs

### 3.2 Mounting the Cabinet

When mounting a new cabinet for the PC4400, select a dry location close to either the serial printer or the F1/F2 subsets if DVAC communication is to be used.

To mount the cabinet:

1. From the back of the cabinet, press in the four white circuit board stand-offs into the raised mounting holes.
2. Holding the cabinet in position, pull all wiring into the cabinet through the hole in the back.
3. Using the provided mounting screws and appropriate wall anchors, mount the cabinet securely to the wall.
4. Press the PC4400 module onto the plastic stand-offs.

### 3.3 Wiring


Before beginning to wire the unit, ensure that all power (AC transformer and battery) is disconnected from the control panel.

Perform the following steps to complete wiring:

1. Connect the four Combus wires to the PC4400. Connect the red, black, yellow and green Combus wires to the RED, BLK, YEL and GRN terminals, respectively.
2. Connect terminals T1 and T2 to a normally closed tamper switch. If no tamper switch is desired, connect a jumper wire between T1 and T2 terminals.

Consult the wiring diagram on page 2 for further information.

### 3.4 PC4400 Hookup Diagram



### 3.5 Applying Power

After all wiring is completed, apply power to the control panel. Connect the battery leads to the battery, then connect the AC transformer. For more information on control panel power specifications, see the control panel Installation Manual.

**NOTE:** Do not connect the power until all wiring is complete.

#### 4. Enrolling the Module

- Once all wiring is complete, you must enroll the module:
1. Enter installer's programming by pressing [\*] [8] [Installer's Code].
  2. Scroll to "Module Hardware" and press the [\*] key.
  3. Scroll to "Enroll Module" and press the [\*] key.
  4. Scroll through the different modules until "PC4400" is displayed. Press the [\*] key.
  5. The message "Create Tamper on Desired Unit" will be displayed. To create the required tamper, secure the tamper zone on the module and then open it. The transition from secure to violated enrolls the module. After this is done, the keypad will display the module number and will confirm enrollment (e.g. "PC4400 Mod 01 Enrolled").
  6. The panel will prompt "Select Toggle <> DVAC enabled N". To enable the module for DVAC communications, press [\*]. The display changes to "DVAC enabled Y". To use the module with a serial printer, leave the toggle set to "DVAC enabled N".

**NOTE:** To change the DVAC enabled toggle option for the module, you must remove, and then re-enroll the module.

For more information regarding module enrollment, see the control panel Installation Manual.

#### 5. Programming the Module

To access PC4010/PC4020 programming, enter [\*][8] followed by the Installer's code. The sections you will need to program are described below. For more information regarding programming, see the control panel Installation Manual.

The PC4400 module programming sections are located in the System Area section under the PC4400 options. Once you have entered installer's programming, enter the indicated reference number (on PC4010/PC4020 v3.x panels only); OR use the [<] [>] keys to scroll through the programming options on the LCD display and press [\*] to select the desired option.

The following explains each programming option relevant to the PC4400.

##### 5.1 Baud Rate

**Ref. # [000800]**

This section is used to program which baud rate the PC4400 serial interface module will use to communicate with a serial printer. The baud rate is the speed at which information will be transmitted from the PC4400 module to the serial printer. There are five different baud rates available to the PC4400 module: 300, 600, 1200, 2400 and 4800 baud. If you are experiencing problems with missing characters, try lowering the baud rate.

**NOTE:** 4800 Baud only available on PC4010/PC4020 V2.1 and above.

##### 5.2 DVAC Options

**Ref. # [00080100]**

This section is used to program DVAC options for the PC4400 module.

**NOTE:** This section is only available if the PC4400 module is enrolled as a DVAC module.

##### ID Code Option

This is the ID code the PC4400 module will use for DVAC communications. Valid ID codes range from 01 to EF. The default ID code is FF. With this setting, the PC4400 will respond to ID code 01.

**NOTE:** Do not plug the DVAC line into the module until the ID code has been programmed.

##### All Call Select Options

This option determines how the PC4400 module will respond to all calls from the central station. The valid entries are from 00 to 04:

00 = No response on all calls.

01 = Respond to all call #1 only.

02 = Respond to all call #2 only.

03 = Respond to both all calls.

04 = Respond to all call #1 if ID code is odd or on all call #2 if ID code is even.

The default all call setting is FF. With this setting, the PC4400 will follow the all call option 04.

#### 5.3 DVAC Identifiers

**Ref. # [00080101]**

This section is used to program the function byte and reporting code for the events transmitted over the DVAC. After entering this section, the installer will be prompted to enter a reporting code number. Valid entries are from 0000 to 0346.

**NOTE:** System tests are not transmitted through DVACS.

##### Special Function Byte (FB) Values

FF = Transmit the default FB

##### Special Reporting Code (RC) Values

000 = Disable transmission

254 = Transmit a zero

255 = Transmit the default RC

**NOTE:** When programming a section, if the panel loses communications with the PC4400 module, the message "DVAC module not present" will be displayed. If this occurs check your wiring, then program the section again.

The following is a list of the default DVAC reporting and identifier codes:

<b>Rep #</b>	<b>Title</b>	<b>FB</b>	<b>RC</b>	<b>Printed Message</b>
0000 - 007F	Zone Alarms/Restore	*	001 - 128	(See Zone Events Section)
0080 - 00FF	Zone Troubles/Restore	*	001 - 128	(See Zone Events Section)
0100 - 017F	Zone Faults/Restore	*	001 - 128	(See Zone Events Section)
0180 - 01C9	Module (1-74) Tamper/Restore	17/97	131 - 204	Tamper Zn#
01CA	Fire Key	00	129	Fire Zn#129
01CB	Aux. Key	04	129	Medical Zn# 0129
01CC	Panic Key	02	129	Panic Zn#129
01CD	Duress Code	03	129	Holdup Zn#129
01CE - 024D	Open/Close by users	76/F6	001 - 128	Open/Close User#
024E	Quick Arm	F6	130	Close User#130
024F	Partial Close	7E	004	PartClos
0250	Auto Arm Abort	7E	011	Late to Close
0251	Automatic Arming	7E	001	Automat Closing
0252	Keypad Lockout	7E	029	User cd Tamper
0253	Open/Close second Master	76/F6	131	Close User#131
0254 - 0256	For Future Use	00	—	Not Transmitted
0257	Opening after Alarm	7E	017	Disarm from alm
0258	Auto Disarm	7E	002	Automatic Open
0259 - 0260	Partition Open/Close	77/F7	001 - 008	Open/Close Group#
0261	For Future Use	00	—	Not Transmitted
0262	System Battery Trouble/Restore	3D/BD	001	SysLBat
0263	System AC Trouble/Restore	3A/BA	001	AC Cut
0264	System Bell Trouble/Restore	32/B2	135	System trb
0265	System Aux. Supply Trouble/Restore	3C/BC	001	PwSuply
0266	Combus Trouble/Restore	32/B2	131	System trb
0267 - 0268	TLM Line 1 & 2 Trouble/Restore	3E/BE	001 - 002	Line
0269	FTC Restoral	00	—	Not Transmitted
026A	System Periodic Test	00	—	Not Transmitted
026B	Event Buffer %75 Full	32	132	System trb
026C	System Test	00	—	Not Transmitted
026D	LINKS Periodic Test	00	—	Not Transmitted
026E	Periodic UL Test	7A	002	Test
026F	DLS Lead In	7E	047	Remote P. Begin
0270	DLS Lead Out	7E	049	Remote P. Success
0271	Installer Lead In	7E	039	Local Prg Begin
0272	Installer Lead Out	7E	043	Local Prg Ended
0273	Automation Fault/Restore	32/B2	133	System Trb
0274 - 0277	For Future Use	00	—	Not Transmitted
0278 - 02A7	PC4204 Battery Trouble/Restore	3D/BD	011 - 026	SysLBat
	PC4204 AC Trouble/Restore	3A/BA	011 - 026	AC Cut
	PC4204 Aux. Supply Trb/Restore	3C/BC	011 - 026	PwSuply
02A8	For Future Use	00	—	Not Transmitted
02A9	Fire Alarm 2-wire Smoke	00/80	130	Fire
02AA	Water Flow Alarm	01/81	130	Sprnklr
02AB	2-wire Smoke Trouble	20/A0	130	Fire Trb
02AC	Water Flow Trouble	21/A1	130	Sprnklr Trb
02AD	Ground Fault	32/B2	130	System Trb
02AE - 02ED	Wireless Zone Low Batt. Alarm	3B/BB	151 - 214	WirLBat

The above events apply to PC40x0 v2.1x

02EE - 032D	Wireless Zone Supervisory	18/98	151 - 214	Supervi
032E - 0335	Partition Police (1 - 8) ♦	19/99	001 - 008	Burglary Verified
0336-0337	For Future Use	00	—	Not Transmitted
0338	DVAC Line Fault	3E/BE	004	Line
0339	DVAC Module Fault	32/B2	137	System Trb
033A	DVAC Shut Down By C.S.	32/B2	138	System Trb
033B	Bypassed Zone ■	*	001 - 128	(See Zone Events Section)
033C-0346	For Future Use	00	—	Not Transmitted

♦ Partition Police Code restoral not transmitted by DVAC module.

■ To disable this transmission, program the function byte as "00" and the reporting code as "000". Programming any other values will result in the transmission of the default settings.

If the reporting code is left as default FF, it will be the same as the zone number and the function byte for the zone events will be the corresponding zone type. A zone has seven associated events that will modify the printer message.

The following is a list of changes of DVAC reporting codes that apply to the PC40x0 v3.0 only.

Rep #	Title	FB	RC	Printed Message
1CA	Fire Key Alarm/Restores	00	129	Fire Alm/Rst Zn#129
1CB	Aux. Key Alarm/Restore	04	129	Medical Alm/Rst Zn#129
1CC	Panic Key Alarm/Resotres	02	129	Panic Alm.Rst Zn#129
24E	Quick Arm	F6	130	Not Transmitted
24F	Partial Close	7E	004	Partial Closing
278-2A7	PC4204 Battery Trouble/Restore	3D/BD	011-026	Not Transmitted
	PC4204 AC Trouble/Restore	3A/BA	011-026	Not Transmitted
	PC4204 Aux. Supply Trb/Restore	3C/BC	011-026	Not Transmitted
2EE-32D	Wireless Zone Supervisory	18/98	151-214	Not Transmitted
338	DVAC Line Fault	3E/BE	004	Not Transmitted
339	DVAC Module Fault	32/B2	137	Not Transmitted
33A	DVAC Shut Down by C.S.	32/B2	138	Not Transmitted

#### Zone Events

PC4020 Event	DVAC Printer MSG	PC4020 Event	DVAC Printer MSG
Zone Alarm.....	Alm	Zone Trouble/Tamper Restore.....	T_R
Zone Restore.....	Rst	Zone Fault.....	Sup
Partial Closing+ Zone Alarm.....	Byp	Zone Fault Restore.....	S_R
Zone Trouble/TamperTrb.....	Trb		

The following is a list of the default settings for zone transmissions:

Zone Type FB:	Alm	Rst	Byp	Trb	T_R	Sup	S_R	Printer MSG
Standard Delay	08	88	48	28	A8	68	E8	Delay
Aux. Delay	08	88	48	28	A8	68	E8	Delay
Instant	09	89	49	29	A9	69	E9	Instant
Interior	0A	8A	4A	2A	AA	6A	EA	Interior
Interior H.A	0B	8B	4B	2B	AB	6B	EB	InteriHA
Delay H.A	07	87	47	27	A7	67	E7	DelayHA
24 hr Bell *	11	91	51	31	B1	71	F1	24 hr
24 hr Bell/Buzzer	11	91	51	31	B1	71	F1	24 hr
24 hr Buzzer	11	91	51	31	B1	71	F1	24 hr
Standard Fire	00	80	40	20	A0	60	E0	Fire
Delayed Fire	00	80	40	20	A0	60	E0	Fire
Auto Ver. Fire	00	80	40	20	A0	60	E0	Fire
Momentary Arm	XX							
Maintained Arm	XX							
Latching 24 hr	16	96	56	36	B6	76	F6	24hrLat
Forced Answer	XX							
Links Supervisory	18	98	58	38	B8	78	F8	Supervi
Links Answer	XX							
Sprinkler	01	81	41	21	A1	61	E1	Sprnklr
Hold Up	03	83	43	23	A3	63	E3	Hold Up
Panic	02	82	42	22	A2	62	E2	Panic
Technical	18	98	58	38	B8	78	F8	Supervi

\* The following zone types transmit as 24 hr Bell: 24 hr Gas, 24 hr Heat, 24 hr Medical, 24 hr Emergency, 24 hr Water, 24 hr Freeze.

The list below shows the new zone types that apply to the PC40x0 v3.0 only.

<b>Zone Type FB:</b>	<b>Alm</b>	<b>Rst</b>	<b>Byp</b>	<b>Trb</b>	<b>T_R</b>	<b>Sup</b>	<b>S_R</b>	<b>Printer MSG</b>
Interior Delay	0A	8A	4A	2A	AA	6A	EA	Interior
Waterflow	00	80	40	20	A0	60	E0	Fire
Fire Supervisory	01	81	41	21	A1	61	E1	Sprinkler

#### 5.4 Default DVAC

##### **Ref. # [00080102]**

This command will restore the PC4400 programming back to the default values. After you enter this section, you will be prompted to confirm returning the PC4400 to its default settings by pressing the [ $\star$ ] key. The default process has a duration of 10-15 seconds.

**NOTE:** When exiting installer's mode, if the panel loses communication with the PC4400 module, the message "DVAC module not present" will be displayed. If this occurs, check your wiring, then enter and exit the installer's programming mode again.

If the Periodic UL Test reporting code is removed from the panel, the DVAC Periodic UL Test transmission will not be sent.

#### 5.5 Trouble Conditions

The control panel always watches for possible trouble conditions. If a trouble condition occurs, the keypad "Trouble" light will turn on and the keypad will beep. Press [ $\star$ ][2] to display the trouble conditions.

The following trouble conditions apply to the PC4400 module. For a description of all troubles, please see your system Installation Manual. Reporting codes for these troubles can be programmed (ref. # [000403] OR scroll to

System Area, then Communicator, then Reporting Codes).

- Printer Off-line
- PC4400 Trouble

If programmed, the panel can also send reporting codes for the following conditions:

- General System Tamper Alarm (PC4010/4020 v3.x and higher)
- General System Tamper Restore (PC4010/4020 v3.x and higher)
- General System Trouble (reported for DVAC Trouble on PC4010/4020 v3.x and higher)
- General System Trouble Restore (reported for DVAC Trouble Restore on PC4010/4020 v3.x and higher)
- PC4400 Tamper Alarm (PC4010/4020 v2.1 and lower)
- PC4400 Tamper Restore (PC4010/4020 v2.1 and lower)
- RS-232 Trouble (PC4010/4020 v2.1 and lower)
- RS-232 Trouble Restore (PC4010/4020 v2.1 and lower)
- DVAC Trouble (PC4010/4020 v2.1 and lower)
- DVAC Trouble Restore (PC4010/4020 v2.1 and lower)

Record your reporting code choices in the panel's Programming Worksheets booklet.

# Programming Worksheets

---

**Baud Rate**

REFERENCE # [000800]

<input type="checkbox"/>	300	<input type="checkbox"/>	600	<input type="checkbox"/>	1200
<input checked="" type="checkbox"/>	2400	<input type="checkbox"/>	4800		

**DVAC Options**

REFERENCE # [00080100]

ID Code Default = FF  (Valid entries 01-FF)All Call Select Default = FF  (Valid entries 00-04)

00 = no response to all calls

01 = response to all call #1 only

02 = response to all call #2 only

03 = response to both all calls

04 = response to all call #1 if ID code is 0  
or to all call #2 if ID code is even**Default DVAC Programming**

REFERENCE # [00080102]

**DVAC Identifiers**

REFERENCE # [00080101]

**Zone X Alarm/Restore**

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
0000	Zn 1 Alm/Rst	_____	002B	Zn 44 Alm/Rst	_____	0056	Zn 87 Alm/Rst	_____
0001	Zn 2 Alm/Rst	_____	002C	Zn 45 Alm/Rst	_____	0057	Zn 88 Alm/Rst	_____
0002	Zn 3 Alm/Rst	_____	002D	Zn 46 Alm/Rst	_____	0058	Zn 89 Alm/Rst	_____
0003	Zn 4 Alm/Rst	_____	002E	Zn 47 Alm/Rst	_____	0059	Zn 90 Alm/Rst	_____
0004	Zn 5 Alm/Rst	_____	002F	Zn 48 Alm/Rst	_____	005A	Zn 91 Alm/Rst	_____
0005	Zn 6 Alm/Rst	_____	0030	Zn 49 Alm/Rst	_____	005B	Zn 92 Alm/Rst	_____
0006	Zn 7 Alm/Rst	_____	0031	Zn 50 Alm/Rst	_____	005C	Zn 93 Alm/Rst	_____
0007	Zn 8 Alm/Rst	_____	0032	Zn 51 Alm/Rst	_____	005D	Zn 94 Alm/Rst	_____
0008	Zn 9 Alm/Rst	_____	0033	Zn 52 Alm/Rst	_____	005E	Zn 95 Alm/Rst	_____
0009	Zn 10 Alm/Rst	_____	0034	Zn 53 Alm/Rst	_____	005F	Zn 96 Alm/Rst	_____
000A	Zn 11 Alm/Rst	_____	0035	Zn 54 Alm/Rst	_____	0060	Zn 97 Alm/Rst	_____
000B	Zn 12 Alm/Rst	_____	0036	Zn 55 Alm/Rst	_____	0061	Zn 98 Alm/Rst	_____
000C	Zn 13 Alm/Rst	_____	0037	Zn 56 Alm/Rst	_____	0062	Zn 99 Alm/Rst	_____
000D	Zn 14 Alm/Rst	_____	0038	Zn 57 Alm/Rst	_____	0063	Zn 100Alm/Rst	_____
000E	Zn 15 Alm/Rst	_____	0039	Zn 58 Alm/Rst	_____	0064	Zn 101Alm/Rst	_____
000F	Zn 16 Alm/Rst	_____	003A	Zn 59 Alm/Rst	_____	0065	Zn 102Alm/Rst	_____
0010	Zn 17 Alm/Rst	_____	003B	Zn 60 Alm/Rst	_____	0066	Zn 103Alm/Rst	_____
0011	Zn 18 Alm/Rst	_____	003C	Zn 61 Alm/Rst	_____	0067	Zn 104Alm/Rst	_____
0012	Zn 19 Alm/Rst	_____	003D	Zn 62 Alm/Rst	_____	0068	Zn 105Alm/Rst	_____
0013	Zn 20 Alm/Rst	_____	003E	Zn 63 Alm/Rst	_____	0069	Zn 106Alm/Rst	_____
0014	Zn 21 Alm/Rst	_____	003F	Zn 64 Alm/Rst	_____	006A	Zn 107Alm/Rst	_____
0015	Zn 22 Alm/Rst	_____	0040	Zn 65 Alm/Rst	_____	006B	Zn 108Alm/Rst	_____
0016	Zn 23 Alm/Rst	_____	0041	Zn 66 Alm/Rst	_____	006C	Zn 109Alm/Rst	_____
0017	Zn 24 Alm/Rst	_____	0042	Zn 67 Alm/Rst	_____	006D	Zn 110Alm/Rst	_____
0018	Zn 25 Alm/Rst	_____	0043	Zn 68 Alm/Rst	_____	006E	Zn 111Alm/Rst	_____
0019	Zn 26 Alm/Rst	_____	0044	Zn 69 Alm/Rst	_____	006F	Zn 112Alm/Rst	_____
001A	Zn 27 Alm/Rst	_____	0045	Zn 70 Alm/Rst	_____	0070	Zn 113Alm/Rst	_____
001B	Zn 28 Alm/Rst	_____	0046	Zn 71 Alm/Rst	_____	0071	Zn 114Alm/Rst	_____
001C	Zn 29 Alm/Rst	_____	0047	Zn 72 Alm/Rst	_____	0072	Zn 115Alm/Rst	_____
001D	Zn 30 Alm/Rst	_____	0048	Zn 73 Alm/Rst	_____	0073	Zn 116Alm/Rst	_____
001E	Zn 31 Alm/Rst	_____	0049	Zn 74 Alm/Rst	_____	0074	Zn 117Alm/Rst	_____
001F	Zn 32 Alm/Rst	_____	004A	Zn 75 Alm/Rst	_____	0075	Zn 118Alm/Rst	_____
0020	Zn 33 Alm/Rst	_____	004B	Zn 76 Alm/Rst	_____	0076	Zn 119Alm/Rst	_____
0021	Zn 34 Alm/Rst	_____	004C	Zn 77 Alm/Rst	_____	0077	Zn 120Alm/Rst	_____
0022	Zn 35 Alm/Rst	_____	004D	Zn 78 Alm/Rst	_____	0078	Zn 121Alm/Rst	_____
0023	Zn 36 Alm/Rst	_____	004E	Zn 79 Alm/Rst	_____	0079	Zn 122Alm/Rst	_____
0024	Zn 37 Alm/Rst	_____	004F	Zn 80 Alm/Rst	_____	007A	Zn 123Alm/Rst	_____
0025	Zn 38 Alm/Rst	_____	0050	Zn 81 Alm/Rst	_____	007B	Zn 124Alm/Rst	_____
0026	Zn 39 Alm/Rst	_____	0051	Zn 82 Alm/Rst	_____	007C	Zn 125Alm/Rst	_____
0027	Zn 40 Alm/Rst	_____	0052	Zn 83 Alm/Rst	_____	007D	Zn 126Alm/Rst	_____
0028	Zn 41 Alm/Rst	_____	0053	Zn 84 Alm/Rst	_____	007E	Zn 127Alm/Rst	_____
0029	Zn 42 Alm/Rst	_____	0054	Zn 85 Alm/Rst	_____	007F	Zn 128Alm/Rst	_____
002A	Zn 43 Alm/Rst	_____	0055	Zn 86 Alm/Rst	_____			

**DVAC Identifiers**

REFERENCE #[00080101]

**Zone X Trouble/Restore**

<b>Rep #</b>	<b>FB</b>	<b>RC</b>	<b>Rep #</b>	<b>FB</b>	<b>RC</b>	<b>Rep #</b>	<b>FB</b>	<b>RC</b>
0080 Zn 1 Trb/Rst	_____	_____	00AB Zn 44 Trb/Rst	_____	_____	00D6 Zn 87 Trb/Rst	_____	_____
0081 Zn 2 Trb/Rst	_____	_____	00AC Zn 45 Trb/Rst	_____	_____	00D7 Zn 88 Trb/Rst	_____	_____
0082 Zn 3 Trb/Rst	_____	_____	00AD Zn 46 Trb/Rst	_____	_____	00D8 Zn 89 Trb/Rst	_____	_____
0083 Zn 4 Trb/Rst	_____	_____	00AE Zn 47 Trb/Rst	_____	_____	00D9 Zn 90 Trb/Rst	_____	_____
0084 Zn 5 Trb/Rst	_____	_____	00AF Zn 48 Trb/Rst	_____	_____	00DA Zn 91 Trb/Rst	_____	_____
0085 Zn 6 Trb/Rst	_____	_____	00B0 Zn 49 Trb/Rst	_____	_____	00DB Zn 92 Trb/Rst	_____	_____
0086 Zn 7 Trb/Rst	_____	_____	00B1 Zn 50 Trb/Rst	_____	_____	00DC Zn 93 Trb/Rst	_____	_____
0087 Zn 8 Trb/Rst	_____	_____	00B2 Zn 51 Trb/Rst	_____	_____	00DD Zn 94 Trb/Rst	_____	_____
0088 Zn 9 Trb/Rst	_____	_____	00B3 Zn 52 Trb/Rst	_____	_____	00DE Zn 95 Trb/Rst	_____	_____
0089 Zn 10 Trb/Rst	_____	_____	00B4 Zn 53 Trb/Rst	_____	_____	00DF Zn 96 Trb/Rst	_____	_____
008A Zn 11 Trb/Rst	_____	_____	00B5 Zn 54 Trb/Rst	_____	_____	00E0 Zn 97 Trb/Rst	_____	_____
008B Zn 12 Trb/Rst	_____	_____	00B6 Zn 55 Trb/Rst	_____	_____	00E1 Zn 98 Trb/Rst	_____	_____
008C Zn 13 Trb/Rst	_____	_____	00B7 Zn 56 Trb/Rst	_____	_____	00E2 Zn 99 Trb/Rst	_____	_____
008D Zn 14 Trb/Rst	_____	_____	00B8 Zn 57 Trb/Rst	_____	_____	00E3 Zn 100Trb/Rst	_____	_____
008E Zn 15 Trb/Rst	_____	_____	00B9 Zn 58 Trb/Rst	_____	_____	00E4 Zn 101Trb/Rst	_____	_____
008F Zn 16 Trb/Rst	_____	_____	00BA Zn 59 Trb/Rst	_____	_____	00E5 Zn 102Trb/Rst	_____	_____
0090 Zn 17 Trb/Rst	_____	_____	00BB Zn 60 Trb/Rst	_____	_____	00E6 Zn 103Trb/Rst	_____	_____
0091 Zn 18 Trb/Rst	_____	_____	00BC Zn 61 Trb/Rst	_____	_____	00E7 Zn 104Trb/Rst	_____	_____
0092 Zn 19 Trb/Rst	_____	_____	00BD Zn 62 Trb/Rst	_____	_____	00E8 Zn 105Trb/Rst	_____	_____
0093 Zn 20 Trb/Rst	_____	_____	00BE Zn 63 Trb/Rst	_____	_____	00E9 Zn 106Trb/Rst	_____	_____
0094 Zn 21 Trb/Rst	_____	_____	00BF Zn 64 Trb/Rst	_____	_____	00EA Zn 107Trb/Rst	_____	_____
0095 Zn 22 Trb/Rst	_____	_____	00C0 Zn 65 Trb/Rst	_____	_____	00EB Zn 108Trb/Rst	_____	_____
0096 Zn 23 Trb/Rst	_____	_____	00C1 Zn 66 Trb/Rst	_____	_____	00EC Zn 109Trb/Rst	_____	_____
0097 Zn 24 Trb/Rst	_____	_____	00C2 Zn 67 Trb/Rst	_____	_____	00ED Zn 110Trb/Rst	_____	_____
0098 Zn 25 Trb/Rst	_____	_____	00C3 Zn 68 Trb/Rst	_____	_____	00EE Zn 111Trb/Rst	_____	_____
0099 Zn 26 Trb/Rst	_____	_____	00C4 Zn 69 Trb/Rst	_____	_____	00EF Zn 112Trb/Rst	_____	_____
009A Zn 27 Trb/Rst	_____	_____	00C5 Zn 70 Trb/Rst	_____	_____	00F0 Zn 113Trb/Rst	_____	_____
009B Zn 28 Trb/Rst	_____	_____	00C6 Zn 71 Trb/Rst	_____	_____	00F1 Zn 114Trb/Rst	_____	_____
009C Zn 29 Trb/Rst	_____	_____	00C7 Zn 72 Trb/Rst	_____	_____	00F2 Zn 115Trb/Rst	_____	_____
009D Zn 30 Trb/Rst	_____	_____	00C8 Zn 73 Trb/Rst	_____	_____	00F3 Zn 116Trb/Rst	_____	_____
009E Zn 31 Trb/Rst	_____	_____	00C9 Zn 74 Trb/Rst	_____	_____	00F4 Zn 117Trb/Rst	_____	_____
009F Zn 32 Trb/Rst	_____	_____	00CA Zn 75 Trb/Rst	_____	_____	00F5 Zn 118Trb/Rst	_____	_____
00A0 Zn 33 Trb/Rst	_____	_____	00CB Zn 76 Trb/Rst	_____	_____	00F6 Zn 119Trb/Rst	_____	_____
00A1 Zn 34 Trb/Rst	_____	_____	00CC Zn 77 Trb/Rst	_____	_____	00F7 Zn 120Trb/Rst	_____	_____
00A2 Zn 35 Trb/Rst	_____	_____	00CD Zn 78 Trb/Rst	_____	_____	00F8 Zn 121Trb/Rst	_____	_____
00A3 Zn 36 Trb/Rst	_____	_____	00CE Zn 79 Trb/Rst	_____	_____	00F9 Zn 122Trb/Rst	_____	_____
00A4 Zn 37 Trb/Rst	_____	_____	00CF Zn 80 Trb/Rst	_____	_____	00FA Zn 123Trb/Rst	_____	_____
00A5 Zn 38 Trb/Rst	_____	_____	00D0 Zn 81 Trb/Rst	_____	_____	00FB Zn 124Trb/Rst	_____	_____
00A6 Zn 39 Trb/Rst	_____	_____	00D1 Zn 82 Trb/Rst	_____	_____	00FC Zn 125Trb/Rst	_____	_____
00A7 Zn 40 Trb/Rst	_____	_____	00D2 Zn 83 Trb/Rst	_____	_____	00FD Zn 126Trb/Rst	_____	_____
00A8 Zn 41 Trb/Rst	_____	_____	00D3 Zn 84 Trb/Rst	_____	_____	00FE Zn 127Trb/Rst	_____	_____
00A9 Zn 42 Trb/Rst	_____	_____	00D4 Zn 85 Trb/Rst	_____	_____	00FF Zn 128Trb/Rst	_____	_____
00AA Zn 43 Trb/Rst	_____	_____	00D5 Zn 86 Trb/Rst	_____	_____			

## **Zone X Fault/Restore**

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
0100	Zn 1	Ft/Rst	0139	Zn 58 Ft/Rst		016D	Zn 110Ft/Rst	
0101	Zn 2	Ft/Rst	013A	Zn 59 Ft/Rst		016E	Zn 111Ft/Rst	
0102	Zn 3	Ft/Rst	013B	Zn 60 Ft/Rst		016F	Zn 112Ft/Rst	
0103	Zn 4	Ft/Rst	013C	Zn 61 Ft/Rst		0170	Zn 113Ft/Rst	
0104	Zn 5	Ft/Rst	013D	Zn 62 Ft/Rst		0171	Zn 114Ft/Rst	
0105	Zn 6	Ft/Rst	013E	Zn 63 Ft/Rst		0172	Zn 115Ft/Rst	
0106	Zn 7	Ft/Rst	013F	Zn 64 Ft/Rst		0173	Zn 116Ft/Rst	
0107	Zn 8	Ft/Rst	0140	Zn 65 Ft/Rst		0174	Zn 117Ft/Rst	
0108	Zn 9	Ft/Rst	0141	Zn 66 Ft/Rst		0175	Zn 118Ft/Rst	
0109	Zn 10	Ft/Rst	0142	Zn 67 Ft/Rst		0176	Zn 119Ft/Rst	
010A	Zn 11	Ft/Rst	0143	Zn 68 Ft/Rst		0177	Zn 120Ft/Rst	
010B	Zn 12	Ft/Rst	0144	Zn 69 Ft/Rst		0178	Zn 121Ft/Rst	
010C	Zn 13	Ft/Rst	0145	Zn 70 Ft/Rst		0179	Zn 122Ft/Rst	
010D	Zn 14	Ft/Rst	0146	Zn 71 Ft/Rst		017A	Zn 123Ft/Rst	
010E	Zn 15	Ft/Rst	0147	Zn 72 Ft/Rst		017B	Zn 124Ft/Rst	
010F	Zn 16	Ft/Rst	0148	Zn 73 Ft/Rst		017C	Zn 125Ft/Rst	
0110	Zn 17	Ft/Rst	0149	Zn 74 Ft/Rst		017D	Zn 126Ft/Rst	
0111	Zn 18	Ft/Rst	014A	Zn 75 Ft/Rst		0159	Zn 90 Ft/Rst	
0112	Zn 19	Ft/Rst	014B	Zn 76 Ft/Rst		015A	Zn 91 Ft/Rst	
0113	Zn 20	Ft/Rst	014C	Zn 77 Ft/Rst		015B	Zn 92 Ft/Rst	
0114	Zn 21	Ft/Rst	014D	Zn 78 Ft/Rst		015C	Zn 93 Ft/Rst	
0115	Zn 22	Ft/Rst	014E	Zn 79 Ft/Rst		015D	Zn 94 Ft/Rst	
0116	Zn 23	Ft/Rst	014F	Zn 80 Ft/Rst		015E	Zn 95 Ft/Rst	
0117	Zn 24	Ft/Rst	0150	Zn 81 Ft/Rst		015F	Zn 96 Ft/Rst	
0118	Zn 25	Ft/Rst	0151	Zn 82 Ft/Rst		0160	Zn 97 Ft/Rst	
0119	Zn 26	Ft/Rst	0152	Zn 83 Ft/Rst		0161	Zn 98 Ft/Rst	
011A	Zn 27	Ft/Rst	0153	Zn 84 Ft/Rst		0162	Zn 99 Ft/Rst	
011B	Zn 28	Ft/Rst	0154	Zn 85 Ft/Rst		0163	Zn 100Ft/Rst	
011C	Zn 29	Ft/Rst	0155	Zn 86 Ft/Rst		0164	Zn 101Ft/Rst	
011D	Zn 30	Ft/Rst	0156	Zn 87 Ft/Rst		0165	Zn 102Ft/Rst	
011E	Zn 31	Ft/Rst	0157	Zn 88 Ft/Rst		0166	Zn 103Ft/Rst	
011F	Zn 32	Ft/Rst	0158	Zn 89 Ft/Rst		0167	Zn 104Ft/Rst	
0120	Zn 33	Ft/Rst	0154	Zn 85 Ft/Rst		0168	Zn 105Ft/Rst	
0121	Zn 34	Ft/Rst	0155	Zn 86 Ft/Rst		0169	Zn 116Ft/Rst	
0122	Zn 35	Ft/Rst	0156	Zn 87 Ft/Rst		016A	Zn 107Ft/Rst	
0123	Zn 36	Ft/Rst	0157	Zn 88 Ft/Rst		016B	Zn 108Ft/Rst	
0124	Zn 37	Ft/Rst	0158	Zn 89 Ft/Rst		016C	Zn 109Ft/Rst	
0125	Zn 38	Ft/Rst	0159	Zn 90 Ft/Rst		016D	Zn 110Ft/Rst	
0126	Zn 39	Ft/Rst	015A	Zn 91 Ft/Rst		016E	Zn 111Ft/Rst	
0127	Zn 40	Ft/Rst	015B	Zn 92 Ft/Rst		016F	Zn 112Ft/Rst	
0128	Zn 41	Ft/Rst	015C	Zn 93 Ft/Rst		0170	Zn 113Ft/Rst	
0129	Zn 42	Ft/Rst	015D	Zn 94 Ft/Rst		0171	Zn 114Ft/Rst	
012A	Zn 43	Ft/Rst	015E	Zn 95 Ft/Rst		0172	Zn 115Ft/Rst	
012B	Zn 44	Ft/Rst	015F	Zn 96 Ft/Rst		0173	Zn 116Ft/Rst	
012C	Zn 45	Ft/Rst	0160	Zn 97 Ft/Rst		0174	Zn 117Ft/Rst	
012D	Zn 46	Ft/Rst	0161	Zn 98 Ft/Rst		0175	Zn 118Ft/Rst	
012E	Zn 47	Ft/Rst	0162	Zn 99 Ft/Rst		0176	Zn 119Ft/Rst	
012F	Zn 48	Ft/Rst	0163	Zn 100Ft/Rst		0177	Zn 120Ft/Rst	
0130	Zn 49	Ft/Rst	0164	Zn 101Ft/Rst		0178	Zn 121Ft/Rst	
0131	Zn 50	Ft/Rst	0165	Zn 102Ft/Rst		0179	Zn 122Ft/Rst	
0132	Zn 51	Ft/Rst	0166	Zn 103Ft/Rst		017A	Zn 123Ft/Rst	
0133	Zn 52	Ft/Rst	0167	Zn 104Ft/Rst		017B	Zn 124Ft/Rst	
0134	Zn 53	Ft/Rst	0168	Zn 105Ft/Rst		017C	Zn 125Ft/Rst	
0135	Zn 54	Ft/Rst	0169	Zn 116Ft/Rst		017D	Zn 126Ft/Rst	
0136	Zn 55	Ft/Rst	016A	Zn 107Ft/Rst		017E	Zn 127Ft/Rst	
0137	Zn 56	Ft/Rst	016B	Zn 108Ft/Rst		017F	Zn 128Ft/Rst	
0138	Zn 57	Ft/Rst	016C	Zn 109Ft/Rst		0180-0187	For Future Use	

**Module Tamper/Restore**

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
0188 LCD4500Md1	_____	_____	0193 LCD4500Md12	_____	_____	019E PC41XXMd6	_____	_____
0189 LCD4500Md2	_____	_____	0194 LCD4500Md13	_____	_____	019F PC41XXMd7	_____	_____
018A LCD4500Md3	_____	_____	0195 LCD4500Md14	_____	_____	01A0 PC41XXMd8	_____	_____
018B LCD4500Md4	_____	_____	0196 LCD4500Md15	_____	_____	01A1 PC41XXMd9	_____	_____
018C LCD4500Md5	_____	_____	0197 LCD4500Md16	_____	_____	01A2 PC41XXMd10	_____	_____
018D LCD4500Md6	_____	_____	0198 PC4400Md	_____	_____	01A3 PC41XXMd11	_____	_____
018E LCD4500Md7	_____	_____	0199 PC41XXMd1	_____	_____	01A4 PC41XXMd12	_____	_____
018F LCD4500Md8	_____	_____	019A PC41XXMd2	_____	_____	01A5 PC41XXMd13	_____	_____
0190 LCD4500Md9	_____	_____	019B PC41XXMd3	_____	_____	01A6 PC41XXMd14	_____	_____
0191 LCD4500Md10	_____	_____	019C PC41XXMd4	_____	_____	01A7-01A8 For Future Use		
0192 LCD4500Md11	_____	_____	019D PC41XXMd5	_____	_____			
01A9 PC4216Md1	_____	_____	01B2 PC4204Md1	_____	_____	01BB PC4204Md10	_____	_____
01AA PC4216Md2	_____	_____	01B3 PC4204Md2	_____	_____	01BC PC4204Md11	_____	_____
01AB PC4216Md3	_____	_____	01B4 PC4204Md3	_____	_____	01BD PC4204Md12	_____	_____
01AC PC4216Md4	_____	_____	01B5 PC4204Md4	_____	_____	01BE PC4204Md13	_____	_____
01AD PC4216Md5	_____	_____	01B6 PC4204Md5	_____	_____	01BF PC4204Md14	_____	_____
01AE PC4216Md6	_____	_____	01B7 PC4204Md6	_____	_____	01C0 PC4204Md15	_____	_____
01AF PC4216Md7	_____	_____	01B8 PC4204Md7	_____	_____	01C1 PC4204Md16	_____	_____
01B0 PC4216Md8	_____	_____	01B9 PC4204Md8	_____	_____	01C2-01C9 For Future Use		
01B1 PC4216Md9	_____	_____	01BA PC4204Md9	_____	_____			

**Priority Alarms**

Rep #	FB	RC
01CA Fire Key Alm	_____	_____
01CB Aux. Key Alm	_____	_____
01CC Panic Key Alm	_____	_____
01CD Duress Alarm	_____	_____

## **Openings and Closings by User**

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
01CE O/C User 001	_____	_____	01F9 O/C User 044	_____	_____	0224 O/C User 087	_____	_____
01CF O/C User 002	_____	_____	01FA O/C User 045	_____	_____	0225 O/C User 088	_____	_____
01D0 O/C User 003	_____	_____	01FB O/C User 046	_____	_____	0226 O/C User 089	_____	_____
01D1 O/C User 004	_____	_____	01FC O/C User 047	_____	_____	0227 O/C User 090	_____	_____
01D2 O/C User 005	_____	_____	01FD O/C User 048	_____	_____	0228 O/C User 091	_____	_____
01D3 O/C User 006	_____	_____	01FE O/C User 049	_____	_____	0229 O/C User 092	_____	_____
01D4 O/C User 007	_____	_____	01FF O/C User 050	_____	_____	022A O/C User 093	_____	_____
01D5 O/C User 008	_____	_____	0200 O/C User 051	_____	_____	022B O/C User 094	_____	_____
01D6 O/C User 009	_____	_____	0201 O/C User 052	_____	_____	022C O/C User 095	_____	_____
01D7 O/C User 010	_____	_____	0202 O/C User 053	_____	_____	022D O/C User 096	_____	_____
01D8 O/C User 011	_____	_____	0203 O/C User 054	_____	_____	022E O/C User 097	_____	_____
01D9 O/C User 012	_____	_____	0204 O/C User 055	_____	_____	022F O/C User 098	_____	_____
01DA O/C User 013	_____	_____	0205 O/C User 056	_____	_____	0230 O/C User 099	_____	_____
01DB O/C User 014	_____	_____	0206 O/C User 057	_____	_____	0231 O/C User 100	_____	_____
01DC O/C User 015	_____	_____	0207 O/C User 058	_____	_____	0232 O/C User 101	_____	_____
01DD O/C User 016	_____	_____	0208 O/C User 059	_____	_____	0233 O/C User 102	_____	_____
01DE O/C User 017	_____	_____	0209 O/C User 060	_____	_____	0234 O/C User 103	_____	_____
01DF O/C User 018	_____	_____	020A O/C User 061	_____	_____	0235 O/C User 104	_____	_____
01E0 O/C User 019	_____	_____	020B O/C User 062	_____	_____	0236 O/C User 105	_____	_____
01E1 O/C User 020	_____	_____	020C O/C User 063	_____	_____	0237 O/C User 106	_____	_____
01E2 O/C User 021	_____	_____	020D O/C User 064	_____	_____	0238 O/C User 107	_____	_____
01E3 O/C User 022	_____	_____	020E O/C User 065	_____	_____	0239 O/C User 108	_____	_____
01E4 O/C User 023	_____	_____	020F O/C User 066	_____	_____	023A O/C User 109	_____	_____
01E5 O/C User 024	_____	_____	0210 O/C User 067	_____	_____	023B O/C User 110	_____	_____
01E6 O/C User 025	_____	_____	0211 O/C User 068	_____	_____	023C O/C User 111	_____	_____
01E7 O/C User 026	_____	_____	0212 O/C User 069	_____	_____	023D O/C User 112	_____	_____
01E8 O/C User 027	_____	_____	0213 O/C User 070	_____	_____	023E O/C User 113	_____	_____
01E9 O/C User 028	_____	_____	0214 O/C User 071	_____	_____	023F O/C User 114	_____	_____
01EA O/C User 029	_____	_____	0215 O/C User 072	_____	_____	0240 O/C User 115	_____	_____
01EB O/C User 030	_____	_____	0216 O/C User 073	_____	_____	0241 O/C User 116	_____	_____
01EC O/C User 031	_____	_____	0217 O/C User 074	_____	_____	0242 O/C User 117	_____	_____
01ED O/C User 032	_____	_____	0218 O/C User 075	_____	_____	0243 O/C User 118	_____	_____
01EE O/C User 033	_____	_____	0219 O/C User 076	_____	_____	0244 O/C User 119	_____	_____
01EF O/C User 034	_____	_____	021A O/C User 077	_____	_____	0245 O/C User 120	_____	_____
01F0 O/C User 035	_____	_____	021B O/C User 078	_____	_____	0246 O/C User 121	_____	_____
01F1 O/C User 036	_____	_____	021C O/C User 079	_____	_____	0247 O/C User 122	_____	_____
01F2 O/C User 037	_____	_____	021D O/C User 080	_____	_____	0248 O/C User 123	_____	_____
01F3 O/C User 038	_____	_____	021E O/C User 081	_____	_____	0249 O/C User 124	_____	_____
01F4 O/C User 039	_____	_____	021F O/C User 082	_____	_____	024A O/C User 125	_____	_____
01F5 O/C User 040	_____	_____	0220 O/C User 083	_____	_____	024B O/C User 126	_____	_____
01F6 O/C User 041	_____	_____	0221 O/C User 084	_____	_____	024C O/C User 127	_____	_____
01F7 O/C User 042	_____	_____	0222 O/C User 085	_____	_____	024D O/C User 128	_____	_____
01F8 O/C User 043	_____	_____	0223 O/C User 086	_____	_____			

**Miscellaneous Openings and Closings**

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
024E Quick Arm	_____	_____	0251 Auto Arm	_____	_____	0254-0256 For future use	_____	_____
024F Partial Closing	_____	_____	0252 Kypd Lockout	_____	_____	0257 Open after alm	_____	_____
0250 Auto Arm Abort	_____	_____	0253 O/C 2nd Mast.	_____	_____	0258 Auto disarm	_____	_____

**Partition Openings and Closings**

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
0259 Partition 1O/C	_____	_____	025C Partition 4O/C	_____	_____	025F Partition 7O/C	_____	_____
025A Partition 2O/C	_____	_____	025D Partition 5O/C	_____	_____	0260 Partition 8O/C	_____	_____
025B Partition 3O/C	_____	_____	025E Partition 6O/C	_____	_____	0261 For future use	_____	_____

**System Maintenance**

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
0262 Sys batt	_____	_____	026F DLS lead in	_____	_____	026A Sys per. test	_____	_____
0263 Sys AC	_____	_____	0270 DLS lead out	_____	_____	026B Ev. Buf. 75% fl	_____	_____
0264 Sys bell	_____	_____	0271 Installer lead in	_____	_____	026C Sys test	_____	_____
0265 Sys AUX sup	_____	_____	0272 Inst. lead out	_____	_____	026D LINKS per. test	_____	_____
0266 COMBUS Trb	_____	_____	0273 Automation Flt	_____	_____	026E Per. UL test	_____	_____
0267 TLM line1	_____	_____	0262 Sys batt	_____	_____	026F DLS lead in	_____	_____
0268 TLM line2	_____	_____	0263 Sys AC	_____	_____	0270 DLS lead out	_____	_____
0269 FTC Rst	_____	_____	0264 Sys bell	_____	_____	0271 Installer lead in	_____	_____
026A Sys per. test	_____	_____	0265 Sys AUX sup	_____	_____	0272 Inst. lead out	_____	_____
026B Ev. Buf. 75% fl	_____	_____	0266 COMBUS Trb	_____	_____	0273 Automation Flt	_____	_____
026C Sys test	_____	_____	0267 TLM line1	_____	_____	0274-0277 For future use	_____	_____
026D LINKS per. test	_____	_____	0268 TLM line2	_____	_____			
026E Per. UL test	_____	_____	0269 FTC Rst	_____	_____			

**PC4204 Troubles**

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
0278 Batt TrbMd1	_____	_____	0289 AUX SupMd6	_____	_____	029A AC TrbMd12	_____	_____
0279 AC TrbMd1	_____	_____	028A Batt TrbMd7	_____	_____	029B AUX SupMd12	_____	_____
027A AUX SupMd1	_____	_____	028B AC TrbMd7	_____	_____	029C Batt TrbMd13	_____	_____
027B Batt TrbMd2	_____	_____	028C AUX SupMd7	_____	_____	029D AC TrbMd13	_____	_____
027C AC TrbMd2	_____	_____	028D Batt TrbMd8	_____	_____	029E AUX SupMd13	_____	_____
027D AUX SupMd2	_____	_____	028E AC TrbMd8	_____	_____	029F Batt TrbMd14	_____	_____
027E Batt TrbMd3	_____	_____	028F AUX SupMd8	_____	_____	02A0 AC TrbMd14	_____	_____
027F AC TrbMd3	_____	_____	0290 Batt TrbMd9	_____	_____	02A1 AUX SupMd14	_____	_____
0280 AUX SupMd3	_____	_____	0291 AC TrbMd9	_____	_____	02A2 Batt TrbMd15	_____	_____
0281 Batt TrbMd4	_____	_____	0292 AUX SupMd9	_____	_____	02A3 AC TrbMd15	_____	_____
0282 AC TrbMd4	_____	_____	0293 Batt TrbMd10	_____	_____	02A4 AUX SupMd15	_____	_____
0283 AUX SupMd4	_____	_____	0294 AC TrbMd10	_____	_____	02A5 Batt TrbMd16	_____	_____
0284 Batt TrbMd5	_____	_____	0295 AUX SupMd10	_____	_____	02A6 AC TrbMd16	_____	_____
0285 AC TrbMd5	_____	_____	0296 Batt TrbMd11	_____	_____	02A7 AUX SupMd16	_____	_____
0286 AUX SupMd5	_____	_____	0297 AC TrbMd11	_____	_____	02A8 For future use	_____	_____
0287 Batt TrbMd6	_____	_____	0298 AUX SupMd11	_____	_____			
0288 AC TrbMd6	_____	_____	0299 Batt TrbMd12	_____	_____			

**Fire Module**

Rep #	FB	RC	Rep #	FB	RC
02A9 2-wire smk alm	_____	_____	02AB 2-wire smk rst	_____	_____
02AA Water flow alm	_____	_____	02AC Water flow trb	_____	_____

## Wireless - Low Battery

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
02AE Zn 01 low batt	_____	_____	02C4 Zn 23 low batt	_____	_____	02DA Zn 45 low batt	_____	_____
02AF Zn 02 low batt	_____	_____	02C5 Zn 24 low batt	_____	_____	02DB Zn 46 low batt	_____	_____
02B0 Zn 03 low batt	_____	_____	02C6 Zn 25 low batt	_____	_____	02DC Zn 47 low batt	_____	_____
02B1 Zn 04 low batt	_____	_____	02C7 Zn 26 low batt	_____	_____	02DD Zn 48 low batt	_____	_____
02B2 Zn 05 low batt	_____	_____	02C8 Zn 27 low batt	_____	_____	02DE Zn 49 low batt	_____	_____
02B3 Zn 06 low batt	_____	_____	02C9 Zn 28 low batt	_____	_____	02DF Zn 50 low batt	_____	_____
02B4 Zn 07 low batt	_____	_____	02CA Zn 29 low batt	_____	_____	02E0 Zn 51 low batt	_____	_____
02B5 Zn 08 low batt	_____	_____	02CB Zn 30 low batt	_____	_____	02E1 Zn 52 low batt	_____	_____
02B6 Zn 09 low batt	_____	_____	02CC Zn 31 low batt	_____	_____	02E2 Zn 53 low batt	_____	_____
02B7 Zn 10 low batt	_____	_____	02CD Zn 32 low batt	_____	_____	02E3 Zn 54 low batt	_____	_____
02B8 Zn 11 low batt	_____	_____	02CE Zn 33 low batt	_____	_____	02E4 Zn 55 low batt	_____	_____
02B9 Zn 12 low batt	_____	_____	02CF Zn 34 low batt	_____	_____	02E5 Zn 56 low batt	_____	_____
02BA Zn 13 low batt	_____	_____	02D0 Zn 35 low batt	_____	_____	02E6 Zn 57 low batt	_____	_____
02BB Zn 14 low batt	_____	_____	02D1 Zn 36 low batt	_____	_____	02E7 Zn 58 low batt	_____	_____
02BC Zn 15 low batt	_____	_____	02D2 Zn 37 low batt	_____	_____	02E8 Zn 59 low batt	_____	_____
02BD Zn 16 low batt	_____	_____	02D3 Zn 38 low batt	_____	_____	02E9 Zn 60 low batt	_____	_____
02BE Zn 17 low batt	_____	_____	02D4 Zn 39 low batt	_____	_____	02EA Zn 61 low batt	_____	_____
02BF Zn 18 low batt	_____	_____	02D5 Zn 40 low batt	_____	_____	02EB Zn 62 low batt	_____	_____
02C0 Zn 19 low batt	_____	_____	02D6 Zn 41 low batt	_____	_____	02EC Zn 63 low batt	_____	_____
02C1 Zn 20 low batt	_____	_____	02D7 Zn 42 low batt	_____	_____	02ED Zn 64 low batt	_____	_____
02C2 Zn 21 low batt	_____	_____	02D8 Zn 43 low batt	_____	_____			
02C3 Zn 22 low batt	_____	_____	02D9 Zn 44 low batt	_____	_____			

## Wireless - Low Battery

Rep #	FB	RC	Rep #	FB	RC	Rep #	FB	RC
02EE	Zn 01 superv.		0304	Zn 23 superv.		031A	Zn 45 superv.	
02EF	Zn 02 superv.		0305	Zn 24 superv.		031B	Zn 46 superv.	
02F0	Zn 03 superv.		0306	Zn 25 superv.		031C	Zn 47 superv.	
02F1	Zn 04 superv.		0307	Zn 26 superv.		031D	Zn 48 superv.	
02F2	Zn 05 superv.		0308	Zn 27 superv.		031E	Zn 49 superv.	
02F3	Zn 06 superv.		0309	Zn 28 superv.		031F	Zn 50 superv.	
02F4	Zn 07 superv.		030A	Zn 29 superv.		0320	Zn 51 superv.	
02F5	Zn 08 superv.		030B	Zn 30 superv.		0321	Zn 52 superv.	
02F6	Zn 09 superv.		030C	Zn 31 superv.		0322	Zn 53 superv.	
02F7	Zn 10 superv.		030D	Zn 32 superv.		0323	Zn 54 superv.	
02F8	Zn 11 superv.		030E	Zn 33 superv.		0324	Zn 55 superv.	
02F9	Zn 12 superv.		030F	Zn 34 superv.		0325	Zn 56 superv.	
02FA	Zn 13 superv.		0310	Zn 35 superv.		0326	Zn 57 superv.	
02FF	Zn 14 superv.		0311	Zn 36 superv.		0327	Zn 58 superv.	
02FC	Zn 15 superv.		0312	Zn 37 superv.		0328	Zn 59 superv.	
02FD	Zn 16 superv.		0313	Zn 38 superv.		0329	Zn 60 superv.	
02FE	Zn 17 superv.		0314	Zn 39 superv.		032A	Zn 61 superv.	
02FF	Zn 18 superv.		0315	Zn 40 superv.		032B	Zn 62 superv.	
0300	Zn 19 superv.		0316	Zn 41 superv.		032C	Zn 63 superv.	
0301	Zn 20 superv.		0317	Zn 42 superv.		032D	Zn 64 superv.	
0302	Zn 21 superv.		0318	Zn 43 superv.				
0303	Zn 22 superv.		0319	Zn 44 superv.				

Police Code (PC)

Force Code (F)	FB	RC	Rep #	FB	RC	Rep #	FB	RC
032E Partition 1 PC	_____	_____	0331 Partition 4 PC	_____	_____	0334 Partition 7 PC	_____	_____
032F Partition 2 PC	_____	_____	0332 Partition 5 PC	_____	_____	0335 Partition 8 PC	_____	_____
0330 Partition 3 PC	_____	_____	0333 Partition 6 PC	_____	_____	0336-337 For future use		

## DVAC Module

# DVAC Identifiers

---

## Function Bytes

For alarm reports, bit number 7 of the function byte determines the status of each printed event.

### Alarm Function Bytes

In the following list, there are two entries for each event in the Function Byte column. The first number corresponds to an alarm; the second corresponds to the restoral. Each event will thus be printed in one of two ways. For example:

06	Burglar	Alm ZnXXX	BA XXX This event is an alarm.
86	Burglar	Rst ZnXXX	BH XXX This event is a restore.

Function Byte	Printer Message	Computer Message	Function Byte	Printer Message	Computer Message	
00/80	Fire*	FA/FH 000-999	11/91	24 hrs*	UA/UH 000-999	
01/81	Sprnklr*	SA/SH 000-999	12/92	System*	UA/UH 000-999	
02/82	Panic*	PA/PH 000-999	13/93	Auxil.*	UA/UH 000-999	
03/83	Hold up*	HA/HH 000-999	14/94	Untyped*	UA/UH 000-999	
04/84	Medical*	MA/MH 000-999	15/95	-----*	UA/UH 000-999	
05/85	Emergen*	QA/QH 000-999	16/96	24hrLat*	TA/TR 000-999	
06/86	Burglar*	BA/BH 000-999	17/97	Tamper*	TA/TR 000-999	
07/87	DelayHA*	BA/BH 000-999	18/98	Supervi *	UA/UH 000-999	
08/88	Delay*	BA/BH 000-999	19	BrgVerf*	BV 000-999	
09/89	Instant*	BA/BH 000-999	1A/9A	-----*	UA/UH 000-999	
0A/8A	Interio*	BA/BH 000-999	1B/9B	-----*	UA/UH 000-999	
0B/8B	InterHA*	BA/BH 000-999	1C/9C	-----*	UA/UH 000-999	
0C/8C	Motion*	BA/BH 000-999	1D/9D	Test*	UX/UR 000-999	
0D/8D	Water*	WA/WH 000-999	1E/9E	Unsecur *	YY/UR 000-999	
0E/8E	Freeze*	ZA/ZH 000-999	1F/9F	Cancel*	OC/OC 000-999	
0F/8F	Gas*	GA/GH 000-999	*The zone number of each alarm and restoral will also be printed in the form of "Alm/Rst Zn000-999".			
10/90	Heat*	KA/KH 000-999				

## Trouble Function Bytes

In the following list, there are two entries for each event in the Function Byte column. The first number corresponds to a trouble; the second corresponds to the trouble restoral. Each event will thus be printed in one of two ways. For example:

26	Burglar Trb	Zn001	BT 001	This event is a trouble.
A6	Burglar T_R	Zn001	BJ 001	This event is a trouble restoral.

Function Byte	Printer Message	Computer Message	Function Byte	Printer Message	Computer Message	
20/A0	Fire*	FT/FJ 000-999	32/B2	System*	UT/UJ 000-999	
21/A1	Sprinkl*	ST/SJ 000-999	33/B3	Auxil.*	UT/UJ 000-999	
22/A2	Panic*	PT/PJ 000-999	34/B4	Untyped*	UT/UJ 000-999	
23/A3	Hold up*	HT/HJ 000-999	35/B5	-----*	UT/UJ 000-999	
24/A4	Medical*	MT/MJ 000-999	36/B6	24hrLat*	UT/UJ 000-999	
25/A5	Emergen*	QT/QJ 000-999	37/B7	Tamper*	UT/UJ 000-999	
26/A6	Burglar*	BT/BJ 000-999	38/B8	Supervi*	UT/UJ 000-999	
27/A7	DelayHA*	BT/BJ 000-999	39/B9	Expans.*	ET/ER 000-999	
28/A8	Delay*	BT/BJ 000-999	3A/BA	AC Cut*	AT/AR 000-999	
29/A9	Instant*	BT/BJ 000-999	3B/BB	WirLBat*	XT/XR 000-999	
2A/AA	Interio*	BT/BJ 000-999	3C/BC	PwSuply*	YP/YQ 000-999	
2B/AB	InterHA*	BT/BJ 000-999	3D/BD	SysLBat*	YT/YR 000-999	
2C/AC	Motion*	BT/BJ 000-999	3E/BE	Line*	LT/LR 000-999	
2D/AD	Water*	WT/WJ 000-999	3F/BF	ZnFault*	UT/UJ 000-999	
2E/AE	Freeze*	ZT/ZJ 000-999	*The zone number of each trouble and trouble restoral will also be printed in the form of "Trb/T_R Zn000-999".			
2F/AF	Gas*	GT/GJ 000-999				
30/B0	Heat*	KT/KJ 000-999				
31/B1	24 hrs*	UT/UJ 000-999				

### Bypass Function Bytes

In the following list, there are two entries for each event in the Function Byte column. The first number corresponds to the bypassing of a zone; the second corresponds to the unbypassing. Each event will thus be printed in one of two ways.

*For example:*

46	Burglar	Byp ZnXXX	BB XXX	This event is a bypass.
C6	Burglar	Unb ZnXXX	BU XXX	This event is an unbypass.

Function Byte	Printer Message	Computer Message	Function Byte	Printer Message	Computer Message
40/C0	Fire*	FB/FU 000-999	51/D1	24 Hrs*	UB/UU 000-999
41/C1	Sprnklr *	SB/SU 000-999	52/D2	System*	UB/UU 000-999
42/C2	Panic*	PB/PU 000-999	53/D3	Auxil.*	UB/UU 000-999
43/C3	Hold up*	HB/HU 000-999	54/D4	Untyped*	UB/UU 000-999
44/C4	Medical*	MB/MU 000-999	55/D5	-----*	UB/UU 000-999
45/C5	Emergen*	QB/QU 000-999	56/D6	24hrLat*	TB/TU 000-999
46/C6	Burglar*	BB/BU 000-999	57/D7	Tamper*	TB/TU 000-999
47/C7	DelayHA*	BB/BU 000-999	58/D8	Supervi *	UB/UU 000-999
48/C8	Delay*	BB/BU 000-999	59/D9	Group*	UB/UU 000-999
49/C9	Instant*	BB/BU 000-999	5A/DA	-----*	UB/UU 000-999
4A/CA	Interio*	BB/BU 000-999	5B/DB	-----*	UB/UU 000-999
4B/CB	InterHA*	BB/BU 000-999	5C/DC	-----*	UB/UU 000-999
4C/CC	Motion*	BB/BU 000-999	5D/DD	-----*	UB/UU 000-999
4D/CD	Water*	WB/WU 000-999	5E/DE	-----*	UB/UU 000-999
4E/CE	Freeze*	ZB/ZU 000-999	5F/DF	-----*	UB/UU 000-999
4F/CF	Gas*	GB/GU 000-999			*The zone number of each alarm and restoral will also be printed in the form of "Byp/Unb Zn000-999".
50/D0	Heat*	KB/KU 000-999			

### Supervisory Function Bytes

In the following list, there are two entries for each event in the Function Byte column. The first number corresponds a supervisory; the second corresponds to a supervisory restoral. Each event will thus be printed in one of two ways.

*For example:*

66	Burglar	Sup Zn001	BS 001	This event is a supervisory.
E6	Burglar	S_R Zn001	BJ 001	This event is an supervisory restore.

Function Byte	Printer Message	Computer Message	Function Byte	Printer Message	Computer Message
60/E0	Fire*	FS/FJ 000-999	6C/EC	Motion*	BS/BJ 000-999
61/E1	Sprinkl*	SS/SJ 000-999	6D/ED	Water*	WS/WJ 000-999
62/E2	Panic*	PS/PJ 000-999	6E/EE	Freeze*	ZS/ZJ 000-999
63/E3	Hold up*	HS/HJ 000-999	6F/EF	Gas*	GS/GJ 000-999
64/E4	Medical*	MS/MJ 000-999	70/F0	Heat*	KS/KJ 000-999
65/E5	Emergen*	QS/QJ 000-999	71/F1	24 Hrs *	US/UJ 000-999
66/E6	Burglar*	BS/BJ 000-999	72/F2	System*	US/UJ 000-999
67/E7	DelayHA*	BS/BJ 000-999	73/F3	Auxil.*	US/UJ 000-999
68/E8	Delay*	BS/BJ 000-999	74/F4	Untyped*	US/UJ 000-999
69/E9	Instant*	BS/BJ 000-999	75/F5	-----*	US/UJ 000-999
6A/EA	Interio*	BS/BJ 000-999			*The zone number of each alarm and restoral will also be printed in the form of "Sup/S_R Zn000-999".
6B/EB	InterHA*	BS/BJ 000-999			

### Opening and Closing Function Bytes

In the following list, there are two entries for each event in the Function Byte column. The first number corresponds an opening; the second corresponds to a closing. Each event will thus be printed in one of two ways. For example:

76	Open User XXX	OP XXX	This event is a opening.
F6	Close User XXX	CL XXX	This event is an closing.

Function Byte	Printer Message	Computer Message
76/F6	Open/Close User000-999	OP/CL 000-999
77/F7	Open/Close Group000-999	OG/CG 000-999

**Miscellaneous Function Bytes**

Function Byte	Printer Message	Computer Message
78/F8	By User 000-999	No transmission
79/F9	Control Act/Rst Pt000-999	RC/RO 000-999
7A/FA	Service Req/Req Zn000-999	YX/YX 000-999
7B/FB	Dealer Id/Id 000-999	DU/DU 000-999
7C/FC	User Msg/Msg Zn000-999	CE/CE 000-999
7D/FD	Instal Msg/Msg Zn000-999	DU/DU 000-999

*Reserved function bytes : 7F/FF***7E/FE : Specific Message Function Byte**

Since there is no zone or user number which needs to be programmed for the messages attributed to function byte 7E/FE, the zone number refers to the printed message transmitted to the computer. The zone number sent to the computer for each event is always 000.

Zn#	Printer MSG	Computer MSG	Zn#	Printer MSG	Computer MSG	Zn#	Printer MSG	Computer MSG
001	Automat Closing	CA	025	Door Station	DS	049	Remote P.Success	RS
002	Automat Open	OA	026	Alm On Exit	UA	050	Remote P.Fail	RU
003	Closing Extend	CE	027	Fire test begin	FI	051	Remote Reset	RN
004	Partial Closing	CG	028	Fire test end	FK	052	Power Up	RR
005	Forced Closing	CF	029	User cd Tamper	JA	053	Data Lost	RT
006	Forced arming	CW	030	Log Threshold	JL	054	Automatic Test	RP
007	Fail to Close	CI	031	Log Overflow	JO	055	Manual Test	RX
008	Fail to Open	OI	032	Schedul Execute	JR	056	Test Start	TS
009	Late Close	CJ	033	Schedul Change	JS	057	Test End	TE
010	Late Open	OJ	034	Time Changed	JT	058	Printer Papr In	VI
011	Late to Close	OT	035	Date Changed	JD	059	Printer Papr Out	VO
012	Late to Open	CT	036	Holiday Changed	JH	060	Printer Restore	VR
013	Early Close	CK	037	User cd Changed	JV	061	Printer Trouble	VT
014	Early Open	OK	038	User cd Deleted	JX	062	Printer Test	VX
015	F. Arm Perimeter	NF	039	Local Prg Begin	LB	063	Printer On Line	VY
016	Perimeter Arm	NL	040	Local Prg Denied	LD	064	Printer Off Line	VZ
017	Disarm From AlmOR		041	Local Prg Succes	LS	065	Extra Point	XE
018	Access Closed	DC	042	Local Prg Fail	LU	066	Extra RF Point	XF
019	Access Denied	DD	043	Local Prg Ended	LX	067	Sensor Reset	XI
020	Access Granted	DG	044	Listen-In begin	LF	068	Forced Point	XW
021	Access Lockout	DK	045	Listen-In ended	LE	069	Watch Dog Reset	YW
022	Access Open	DO	046	Remote P.C.F	RA	070	Service Required	YX
023	Access Trouble	DT	047	Remote P.begin	RB	071	Status Report	YY
024	Door Forced	DF	048	Remote P.Denied	RD	072	Downlook Start	None