

UTOU7.S4019 - CONTROL UNITS AND ACCESSORIES, HOUSEHOLD SYSTEM TYPE CERTIFIED FOR CANADA

Control Units and Accessories, Household System Type Certified for Canada

See General Information for Control Units and Accessories, Household System Type Certified for Canada

TYCO SAFETY PRODUCTS CANADA LTD

S4019

3301 LANGSTAFF RD

CONCORD, ON L4K 4L2 CANADA

Addressable accessories, Model(s) *ADT-AC, AMP-701, AMP-702, AMP-750, LCD5501Z, PAMP-700*

Combination burglary warning system, control unit accessories, Model(s) *PG9911(**) [a]*

Combination control unit subassemblies, Model(s) *TL2753G, 3G2075, TL275*

Combination household fire and burglar alarm system, Model(s) *Westec kit*

Combination household fire and burglary alarm system control unit, Model(s) *WS900-29, WS900-19*

Combination household fire and burglary warning system control unit accessory, Model(s) *TL880LE, TL880LE-485*

Combination household fire and burglary warning system control unit subassemblies, Model(s) *TL265GS IP/GSM-GPRS Communicators, TL265 IP Communicators, GS2065 GSM-GPRS Communicator, for use with separately Listed Control Unit as indicated in the Installation Instructions, PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433 (f)*

Combination household fire and burglary warning system control unit subassemblies, Model(s) *WiFi422SCW Wi-Fi interface*

Combination household fire and burglary warning system control unit subassemblies, Communicator Board Subassembly, Model(s) *ADC-620TE*

Combination household fire and burglary warning system control units, Model(s) *PC580, PC585, PC9155-433, PC9155D-433*

Combination household fire and burglary warning system control units, Model(s) *PC9155G-433 short range low power RF and hardwire system.*

Combination household fire and burglary warning system control units, Model(s) *PC9155I-433, SCW9055-433, SCW9055D-433, SCW9055D-SM-433, SCW9055G-433, SCW9055G-SM-433, SCW9055I-433, SCW9055I-SM-433, SCW9057-433, SCW9057D-433, SCW9057D-SM-433, SCW9057G-433, SCW9057G-SM-433, SCW9057I-433, SCW9057I-SM-433, SCW9447-433*

Combination household fire and burglary warning systems, Model(s) *Security Gateway/GTW5000 (&)*

Combust accessories, Model(s) *EscortPC4580, P4108(A), P4116, P4164RS, P4204, P4216, P4216A, P4400, P4580, P4612, P4632, P4664, P4700, P4701, P4702, P4820, P4936, P4937, PC4108(A), PC4116, PC4164RS, PC4204, PC4216, PC4216A, PC4400, PC4612, PC4632, PC4664, PC4700, PC4701, PC4702BP, PC4820, PC4936, PC4937, TS-VPM4580*

Communicator expander, Model(s) *PCL-422 TLINK (#)*

Control unit accessories, Model(s) 3G3070 (e) and 3G3070-RF (e) GSM-GPRS/3G Interface, Fire Alarm and Security Equipment. Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) with Listed compatible control units as indicated in the installation instructions.

Control unit accessories, Model(s) 3G3070 PCB Assembly, intended for supplementary use only with separately Listed control units as indicated in the installation instructions. Internal 12V, minimum 1.2 AH rechargeable battery is required for Low Power Mode (JP3 OFF)

Control unit accessories, Model(s) 3G4000, 3G4000RF - Communicators, for use with separately listed control units as indicated in installation instructions

Control unit accessories, Model(s) 3G4010 GSM-GPRS/3G Alarm Communicator, 3G4010 PCB Assembly

Control unit accessories, Model(s) 3G8080, 3G8080I - Communicators, for use with separately listed control units as indicated in installation instructions

Control unit accessories, Model(s) CD8080, CD8080I - Communicators, for use with separately listed control units as indicated in installation instructions

Control unit accessories, Model(s) GS3055-I, GS3060, GS3060-RF GSM-GPRS, WS4920 RF repeater.

Control unit accessories, Model(s) WT4901 Wireless Indoor Siren for use with PC9155 Wireless system.

Control unit accessories, Model(s) WT5500-433, WT5500P-433 Wireless Keypad

Control unit accessories for supplementary features, Model(s) PC5961E, PC5964E

Control unit accessories, 3G/LTE Alarm communicator, Model(s) LE4010, LE4020

Control unit accessories, End of Line Resistors, Model(s) EOLR-1, EOLR-2, EOLR-3

Control unit accessories, interfaces, Model(s) GS-BOOST Telco Voltage Booster, for use only with Model GS3060

Control unit accessories, keypads, Model(s) PK5500, PK5501, PK5508, PK5516, PTK5507, RFK5500-433, RFK5501-433, RFK5508-433, RFK5516-433, RFK5564-433

Control unit accessories, RF receivers, Model(s) RF4164-433

Control unit accessories, wireless keypads, Model(s) HS2LCDWF9 (h), HS2LCDWFP9 (h), HS2LCDWFPV9 (h)

Control unit accessory, Model(s) HS2LCD, HS2LCDP, HS2ICN, HS2ICNP, HS2LED, HS2TCHP Keypads, Models HS2LCDRF9, HS2LCDRFP9, HS2ICNRF9, HS2ICNRF9P Keypads with RF receiver, Model HSM2HOST9 RF Receiver, Model, PG9920 RF Repeater, Models PG9901, PG9911 Wireless Sirens . All Accessories are compatible with the model HS2128, HS2064, HS2032, HS2016 alarm controllers only).

Control unit accessory, Model(s) Keypad, PC1404RKZ. For use with separately Listed compatible control units as indicated in the installation instructions.

Control unit assemblies, ethernet communicators, Model(s) T-Link TL250, T-Link TL300

Control unit subassemblies, Model(s) 3G2055-NA, 3G2055-SM-NA, 3G2055R-E, 3G2055-E, 3G2060, 3G2060R, 3G8055, 3G8055 NEO, 3G8055I NEO, 3G8055I, CD8055, CD8055 NEO, CD8055I NEO, CD8055I, GS2055-NA, GS2055-SM-NA, GS2060-RS, GS2060-SM, HS2016(g) (Alarm Controller), HS2032(g), HS2064(g), HS2128(g), HSM2108 (Zone expander), HSM2204 (Power Supply), HSM2208 (PGM Output Module), HSM2300, TL255, TL255-SM-NA, TL2553G-NA, TL2553G-SM-NA, TL255GS-NA, TL255GS-SM-NA, TL260-RS, TL260-SM, TL2603GR

Control unit subassemblies, Model(s) TL260GS, IP/GSM-GPRS Communicator, GS2060 GSM-GPRS Communicator, TL260 IP Communicator for use with separately listed control units as indicated in installation instructions, PC1616(d), PC1832(d), PC1864(d)

Control unit subassemblies, Model(s) TL260GS-RS, TL260GS-SM, TL260R

Control unit subassemblies, 3G Alarm communicator, Model(s) 3G9080, 3H9080

Control unit subassemblies, alarm controller, Model(s) HS3128 PCB, HS3032 PCB (i)

Control unit subassemblies, enclosures, Model(s) HSC3010C, HSC3020C

Control unit subassemblies, LTE/3G Alarm communicator, Model(s) LE2077, LE9080

Control unit subassemblies, LTE/IP Alarm communicator, Model(s) TL8055LT

Control unit subassemblies, zone expanders, Model(s) HSM3408

Control unit, enclosures, Model(s) *PC500C*

Fire Alarm and Security Equipment, Model(s) *LE4000 LTE Alarm Communication Interface, suitable for use as a household fire and burglary warning system equipment, and as a commercial burglar alarm system control unit equipment*

Fire Alarm and Security Subassembly, Model(s) *3G2080R, 3G2080RE, 3G2080, 3G2080E GSM-GPRS Alarm Communication Interface, suitable for use as a household fire and burglary warning system subassembly, and as a commercial burglar alarm system control unit subassembly.*

Fire Alarm and Security Subassembly, Model(s) *LE7090 Cellular (LTE) Communicator, LT7090E Cellular (LTE) Communicator*

Fire Alarm and Security Subassembly, Model(s) *PCL-422, PCL-485 Communicator expansion interface board.*

Fire Alarm and Security Subassembly for supplementary features, Model(s) *HSM2955, HSM2955R*

Household fire and burglar alarm system control unit accessories, also suitable for use as commercial burglary warning system control unit accessories, **Wireless Keypad**, Model(s) *WTK5504P-433, WTK5504-433*

Household fire warning control units, "DSC", Model(s) *PC1616, PC1832, PC1864*

Household fire warning control units, "DSC Series", Model(s) *NT9005-433, NT9010-433, PC1555, PC1555MX, PC1565, PC1575, PC2550, PC4010 (AR, CF, CFAR), PC4020 (AR, CF, CFAR), PC5008, PC5010 (NKU), PC5015, PC5020*

Household fire warning control units, Model(s) *SCW9045-433, SCW9047-433, SCW9447-433*

Keybus accessories, Model(s) *DLM-4, DLM-4L, Escort 5580(TC), KP5501Z(T), KP5506(T,Z,ZT), LCD5501Z(T), LCD5501Z32-433, LCD5501Z32-90C, NT9204, P-ICON-900, P5100, P5108(D,L), P5132-900, P5132RS, P5208, P5400, P5580(TC), P5700, P5720, P5904, P5921/2/3 (EXT/R), P5928, P5936, P5937, P832-02Z(T), P832-ICON, PC5100, PC5108(D,L), PC5132RS, PC5200, PC5204, PC5208, PC5400, PC5700, PC5720, PC5904, PC5921/2/3 (EXT/R), PC5928, PC5936, PC5937, PKP-ICM, RF5501-433*

Keybus accessories, Model(s) *HS-HC8000, LCD5511, LED5511, PKP-400, PKP-ICON, PKP-LCD, TS-VPM5580TC*

Power Reversal Modules, Model(s) *PRM-2W, PRM-2W(C), PRM-4W, PRM-4W(C)*

Power Supervisory Relay, Model(s) *RM-2*

Power Supply Module, Model(s) *PC4204CX, PC4204CXCF*

Remote Key Pads, "Partner", Model(s) *P16128 (CB, CBCF, CF), P48, P600, P6B, P6BM, P6BMX, P864 (CB, CBCF, CF), PAMP702, PAMP750, PNT9010-433*

Remote sounder, Model(s) *NT9201, PNT9201*

RF accessories, Model(s) *WLS908, WLS909, WLS910*

Serial Output modules, Model(s) *KT4401VK, PC4401*

Subassemblies, Corbus repeater, power supply module, Model(s) *HSM3204CX*

Subassemblies, Power Supply Module, Model(s) *HSM3350*

Subassembly, Communicator PCB assembly, Model(s) *LE4010 PCB, LE4020 PCB*

(#) - For use exclusively with Models TL2803GR, TL2803GRE, TL2803G, TL2803GE IP/GSM-GPRS Dual Alarm Communication Interface, 3G2080, 3G2080E, 3G2080R, 3G2080RE GSM-GPRS Alarm Communication Interface, TL280, TL280E, TL280R, TL280RE IP Alarm Communication Interface

(&) - with integrated PC5020 combination control unit, LCD5501Z32-433, RF5501-433 and/or LCD5500Z keypads, PC5936 audio interface module, PC5904 and/or PC5921, PC5921EXT, PC5921EXT/R audio stations, HS-NH400 10 Base T Ethernet hub, 4110 video module, AXT Terminal Expansion Module and MN12165 March Networks PS, Input: 120 V ac, 60 Hz, 175 Va.

(a) - For use with at least one Model LCD-4501 keypad and other Listed devices as indicated in the installation wiring diagram and instructions.

(c) - For use with Models PC4020 control units.

(d) - Intended for use with other Listed devices as indicated in the installation instructions to form a combination fire, burglary, and home health care warning system. Each control unit subassembly incorporates a digital alarm communicator transmitter. (Dual Signal Line when control unit with its integrated DACT is used in conjunction with a separately listed Alarm Communicator Model TL260GS, GS2065, GS3055-I/GS3060/GS3060-RF or T-Link TL250/300, configuration capable of Standard/Encrypted Line Security.

(e) - Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer)

when used with separately Listed control units as indicated in the installation instructions.

(f) - For use with the Model PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433

(g) - Intended for use with other Listed devices as indicated in the installation instructions to form a combination fire, burglary, and home health care warning system. Each control unit subassembly incorporates a digital alarm communicator transmitter. (Dual Signal Line when control unit with its integrated DACT is used in conjunction with a separately listed Alarm Communicator Model TL2803GR, TL2803G IP/GSM-GPRS Dual Alarm Communication Interface, 3G280,3G280R GSM-GPRS Alarm Communication Interface, TL280,TL280R IP Alarm Communication Interface, configuration capable of Standard/Encrypted Line Security

(h) - For use with Listed Combination Control Units, Models HS2128, HS2064, HS2032, HS2016 when used in conjunction with the compatible Wireless Transceiver Model HSM2HOST9 or Keypads with integrated wireless transceiver models HS2LCDRF(P)9 or HS21CNRFP)9.

(i) - Combination fire, burglary, and home health care warning system.

** - Complementary Listed under: BP6524 NBSX, NBSX7.

[a] - For use with Listed Combination Control Units, Models PMASTER-10 G2 and PMASTER-30 G2

Last Updated on 2019-02-23

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"