

# NBSX7.S4019 - HOUSEHOLD BURGLAR ALARM SYSTEM UNITS CERTIFIED FOR CANADA

## Household Burglar Alarm System Units Certified for Canada

See General Information for Household Burglar Alarm System Units Certified for Canada

### **TYCO SAFETY PRODUCTS CANADA LTD**

S4019

3301 LANGSTAFF RD

CONCORD, ON L4K 4L2 CANADA

Addressable accessories, input 11.6-12.6 V dc, 0.8 mA, compatible with P5100, P864 Series and P16128 Series Model(s) *PAMP-700*

Addressable accessories, input 11.6-12.6 V dc, 0.8 mA, compatible with PC5100, PC4010 Series and PC4020 Series Model(s) *AMP-700*

Addressable accessories, input 5 V dc, 0.9 mA max, compatible with PC5010 Model(s) *AMP-702, AMP-750*

Combination burglary and fire alarm system control units, short range low power RF with integrated sounders Model(s) *WS900-19, WS900-29*

Combination household burglary and fire alarm system control units, input 16.5 V ac, 60 Hz, 40 VA (from Class 2 transformers) Model(s) *PC580, PC585, Power432*

Combination household burglary and fire alarm system control units, short range low power RF and hardwire systems Model(s) *PC9155-433, PC9155D-433, PC9155G-433, PC9155I-433*

Combination household fire and burglary alarm system control units, input 16.5 V ac, 60 Hz, 37 VA (using Class 2 limited energy transformers) "DSC Series" Model(s) *PC1404*

Combination household fire and burglary control unit with integrated keypads, RF type, input 9.0 V ac, 60 Hz, 20 VA "Partner Series" Model(s) *PNT9010-433, PNT9010A-433*

Combination household fire and burglary control unit with integrated keypads, RF type, input 9.0 V ac, 60 Hz, 20 VA Model(s) *NT9010-433, NT9010A-433*

Combination household fire and burglary warning system control units, short range low power RF and hardwire systems with integrated sounders Model(s) *SCW9055-433, SCW9055D-433, SCW9055D-SM-433, SCW9055G-433, SCW9055G-SM-433, SCW9055I-433, SCW9055I-SM-433, SCW9057-433, SCW9057D-433, SCW9057D-SM-433, SCW9057G-433, SCW9057G-SM-433, SCW9057I-433, SCW9057I-SM-433*

Combination household fire and burglary warning systems Model(s) *Security Gateway/GTW5000, with integrated PC5020 combination control unit, LCD5501Z32-433, RF5501-433 and/or LCD5500Z keypads, PC5936 audio interface module, PC5904 and/or PC5921, PC5921EXT, PC5921EXT/R audio stations, HS-NH400 10 Base T Ethernet hub, 4110 video module, AXT Terminal Expansion Module and MN12165 March Networks PS, input 120 V ac, 60 Hz, 175 Va.*

Combust accessories, input 11.6-12.6 V dc Model(s) *EscortPC4580, P4108(A), P4116, P4164RS, P4204, P4216, P4400, P4580, P4612, P4632, P4664, P4700, P4701, P4702, P4820, P4936, P4937, PC4108(A), PC4116, PC4164RS, PC4204, PC4216, PC4216A, PC4400, PC4612, PC4632, PC4664, PC4700, PC4701, PC4702BP, PC4820, PC4936, PC4937*

Combus accessories, input 12 V dc, 10 mA max Model(s) *TS-VPM4580*

Combus accessories, power supply module, input primary, 120 V ac, 0.48 A, 60 Hz Model(s) *PC4204CX, PC4204CXCF*

Combus accessories, wireless receiver for wireless keys only, input 11.6-12.6 V dc, 200 mA max Model(s) *PC5102-433*

Control station keypads Model(s) *SG-RS4, SG-RS5*

Control unit accessories Model(s) *PC5204*

Control unit accessories (3G cellular alarm communicators) Model(s) *3G4000\*, 3G4000RF\**

Control unit accessories (CDMA cellular alarm communicators), interface, fire alarm and security equipment Model(s) *CD8080 (b), CD8080I CDMA (b)*

Control unit accessories (IP/LTE alarm communicator) Model(s) *TL880LT*

Control unit accessories (LTE cellular alarm communicators), interface, fire alarm and security equipment Model(s) *3G8080\* (b), 3G8080I\* (b), LE4000 (b)*

Control unit accessories, 3G alarm communicators Model(s) *3G8080, 3G8080I*

Control unit accessories, alarm communicators Model(s) *3G4010 GSM-GPRS/3G*

Control unit accessories, CDMA cellular alarm communicators, interface Model(s) *CD8080(c), CD8080I(c)*

Control unit accessories, interface, fire alarm and security equipment Model(s) *GS3055-I, GS3060 and GS3060-RF GSM-GPRS, intended for supplementary use only with separately listed control units as indicated in the installation instructions; for models GS3055-I and GS3060, internal 12Vv minimum 1.2 AH rechargeable battery is required for low power mode (JP3 OFF); model GS3060-RF employs a 12 V/7.0 Ah battery.*

Control unit accessories, interfaces, intended for supplementary use only Model(s) *3G3070 and 3G3070-RF GSM-GPRS/3G\*, for model 3G3070 internal 12V, minimum 1.2 AH rechargeable battery is required for low power mode (JP3 OFF), model 3G3070-RF employs a 12 V/7.0 Ah battery.*

Control unit accessories, keyfobs, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only Model(s) *PG9929, PG9938, PG9939, PG9949*

Control unit accessories, keypads Model(s) *PC1404RKZ\*, PK5500\*, PK5501\*, PK5508\*, PK5516\*, PTK5507\**

Control unit accessories, keypads with RF receivers, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only Model(s) *HS21CNRF9, HS21CNRFP9, HS2LCDRF9, HS2LCDRFP9*

Control unit accessories, keypads, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only Model(s) *HS21CN, HS21CNP, HS2LCD, HS2LCDP, HS2LED*

Control unit accessories, large audio stations Model(s) *PC5964E*

Control unit accessories, LTE alarm communicators Model(s) *LE4010*

Control unit accessories, receivers, input 11.6 - 12.6 V dc Model(s) *PC4164-433\**

Control unit accessories, repeaters Model(s) *WS4920 RF*

Control unit accessories, RF receivers Model(s) *RF5132-433\**

Control unit accessories, RF receivers, compatible with alarm controllers models HS2128, HS2064, HS2032, HS2016 only Model(s) *HSM2HOST9, PG9920*

Control unit accessories, small audio stations Model(s) *PC5961E*

Control unit accessories, Telco voltage boosters Model(s) *GS-BOOST, used only in conjunction with model GS3060 when interfacing with alarm control panels that require a higher simulated Telco line voltage.*

Control unit accessories, wireless keypads Model(s) *HS2LCDWFPV9, HS2LCDWFP9 and HS2LCDWF9, for use with listed combination control unit models HS2128, HS2064, HS2032, HS2016, when used in conjunction with the compatible wireless transceiver model HSM2HOST9, model PG9920 rf repeater, or keypads with integrated wireless transceiver models HS2LCDRF(P)9 or HS21CNRF(P)9.*

*RFK5500-433\*, RFK5501-433\*, RFK5508-433\*, RFK5516-433\*, RFK5564-433\*, WT5500-433, WT5500P-433*

Control unit accessories, wireless outdoor siren for indoor and outdoor use, for use with PC9155 and SCW9055/9057

wireless systems Model(s) *WT4911*

Control unit accessories, wireless sirens, compatible with alarm controllers models **HS2128, HS2064, HS2032, HS2016 only** Model(s) *PG9901, PG9911*

Control unit accessory subassembly, communicator board. For use in model **TL880LT** communicator. Model(s) *ADC-620T IP/LTE*

Control unit assemblies Model(s) *PC5200*

Control unit subassemblies Model(s) *PCL-422 TLINK communicator expander, for use exclusively with models TL2803GR, TL2803GRE, TL2803G, TL2803GE IP/GSM-GPRS Dual Alarm Communication Interface, 3G2080, 3G2080E, 3G2080R GSM-GPRS, 3G2080RE GSM-GPRS Alarm Communication Interface, TL280, TL280E, TL280R, TL280RE IP Alarm Communication Interface.*

Control unit subassemblies (3G cellular alarm communicators) Model(s) *3G7090, 3G8055 NEO, 3G8055I NEO*

Control unit subassemblies (CDMA cellular alarm communicators) Model(s) *CD8055 NEO, CD8055I NEO*

Control unit subassemblies (LTE cellular alarm communicators) Model(s) *LE7090, LT7090E*

Control unit subassemblies (LTE cellular alarm communicators) interface Model(s) *LT7090*

Control unit subassemblies, PCB assembly Model(s) *3G4010*

Control unit subassemblies, 3G interface Model(s) *3G8055 NEO, 3G8055I NEO*

Control unit subassemblies, alarm controller Model(s) *HS2016, HS2032, HS2064, HS2128*

Control unit subassemblies, audio verification interfaces Model(s) *HSM2955, HSM2955R*

Control unit subassemblies, CDMA interface Model(s) *CD8055 NEO, CD8055I NEO*

Control unit subassemblies, communicator Model(s) *3G2075\*, 3G8055\*, 3G8055I\*, CD8055\*, CD8055I\*, GS2055-NA\*, GS2055-SM-NA\*, GS2060\*, GS2060-RS\*, GS2060-SM\*, GS2065 \**

Control unit subassemblies, GSM-GPRS alarm communication interface Model(s) *3G2080\*, 3G2080R\**

Control unit subassemblies, GSM-GPRS communicator Model(s) *3G2055-E, 3G2055-NA, 3G2055-SM-NA, 3G2055R-E, 3G2060 GSM-GPRS\*, 3G2075, 3G2080E\*, 3G2080RE\**

Control unit subassemblies, IP alarm communication interfaces Model(s) *TL280\**

Control unit subassemblies, IP communicator Model(s) *TL255\*, TL255-E\*, TL255-SM-NA\*, TL255GS-NA\*, TL255GS-SM-NA\*, TL255R-E\*, TL260\*, TL260-RS\*, TL260-SM\*, TL260GS\*, TL260GS-RS\*, TL260GS-SM\*, TL260R\*, TL275\*, TL2753G\*, TL280\*, TL280E\*, TL280R\*, TL280RE\**

Control unit subassemblies, IP/GSM-GPRS communicator Model(s) *TL2553G-E, TL2553G-NA, TL2553G-SM-NA, TL2553GR-E, TL265GS\*, TL2803GE\*, TL2803GRE\**

Control unit subassemblies, IP/GSM-GPRS dual alarm communication interface Model(s) *TL2603G\*, TL2803G\*, TL2803GR\**

Control unit subassemblies, IP/LTE alarm communicator Model(s) *TL8055LT*

Control unit subassemblies, LTE/3G Alarm communicator Model(s) *LE2077*

Control unit subassemblies, PCB assemblies, intended for supplementary use only Model(s) *3G3070\**, internal 12V, min 1.2 AH rechargeable battery is required for Low Power Mode (JP3 OFF).

Control unit subassemblies, PGM output modules Model(s) *HSM2208*

Control unit subassemblies, power supplies Model(s) *HSM2204, HSM2300*

Control unit subassemblies, PSDN communicators, GSM Model(s) *3G2060\*, 3G2060R\*, 3G2080\*, 3G2080R\**

Control unit subassemblies, PSDN communicators, IP/GSM communicator Model(s) *TL2603GR\**

Control unit subassemblies, Wi-Fi interface Model(s) *WiFi422SCW*

Control unit subassemblies, zone expanders Model(s) *HSM2108*

Fire alarm and security subassemblies, communicator expansion interface board Model(s) *PCL-422*

Fire alarm and security subassemblies, GSM-GPRS alarm communication interface Model(s) *3G2080 (a), 3G2080E (a),*

3G2080R (a), 3G2080RE (a)

Fire alarm and security subassemblies, IP alarm communication interface Model(s) TL280 (a), TL280E (a), TL280R (a), TL280RE (a)

Fire alarm and security subassemblies, IP/GSM-GPRS dual alarm communication interface Model(s) TL2803G (a), TL2803GE (a), TL2803GR (a), TL2803GRE (a)

Fire alarm and security subassemblies, IP/LTE dual alarm communication interface Model(s) TL280LE (a), TL280LER (a)

Fire alarm and security subassemblies, LTE alarm communication interface Model(s) LE2080 (a), LE2080R (a)

Household burglar alarm control units "Partner Series" Model(s) P16128(CB,CBCF,CF), P48 (current 0.07 A), P600 (current 0.07 A), P6B (current 0.07 A), P6BM (current 0.07 A), P6BMX (current 0.07 A), P832(DL) (current 0.07 A), P864(CB,CBCF,CF) (current 0.08 A), PAMP702 (current 0.9 mA), PAMP750 (current 0.9 mA), PNT9010-433 (current 0.10 A)

Household burglar alarm control units, input 16.5 V ac, 60 Hz, 37 VA (using Class 2 limited energy transformers) "DSC Series" Model(s) NT9010-433 (current max 0.10 A), PC1555 (current max 0.07 A), PC1555MX, PC1565, PC1575 (current max 0.07 A), PC1616, PC1832, PC1864, PC2550 (current max 0.07 A), PC4020(AR,CF,CFAR), PC5008 (current max 0.07 A), PC5010(NKU) (current max 0.07 A), PC5015, PC5015 (current max 0.07 A), PC5020

Household burglar alarm control units, input 16.5 V ac, 60 Hz, 37 VA (using Class 2 limited energy transformers) Model(s) SG-P-6, SG-P-832

Household burglar alarm control units, remote keypads "Partner Series" Model(s) KP5500, P83208(T,Z,ZT), P83208/16/32 (T,Z,ZT) (current 0.045 A), P832LCD(T,Z,ZT) (current 0.05 A), P832LCD(T,Z,ZT) (current 0.06 A), PKP-ICON (current 0.06A), PKP-LCD, PRS400(T) (current 0.06 A), PRS600(T) (current 0.03 A), PRS6RKZ

Household burglar alarm control units, remote keypads, input 16.5 V ac, 60 Hz, 37 VA (using Class 2 limited energy transformers) "DSC Series" Model(s) KP5500(T,Z,ZT), KP5506(T), KP5508/16/32(T,Z,ZT), LCD4500/01(T,Z,ZT), LCD4501Z(T), LCD5500(T,Z,ZT), LCD5500(Z,T,ZT), PC1555RKZ, PC1575RK, PC4010(AR,CF,CFAR), PC5506(T), PC5508(T,Z,ZT), PC5508/16/32 (Z,T,ZT)

Household fire and burglar alarm system control unit accessories, wireless keypad models Model(s) WTK5504-433, WTK5504P-433

Household fire warning control units, input 16 V ac, 60 Hz, 20 VA (from Class 2 limited energy transformers) Model(s) SCW9045-433, SCW9047-433, SCW9447-433

Keybus accessories Model(s) DLM-4L, Escort 5580(TC), KP55012(T), KP5506(T,Z,ZT), LCD5501Z(T), LCD5501Z32-433, LCD5501Z32-900, PC5100, PC5108(D,L), PC5132-900, PC5132RS, PC5200, PC5204, PC5208, PC5400, PC5506(T,Z,ZT), PC5700, PC5720, PC5904, PC5921/2/3 (EXT, EXT/R), PC5928, PC5936, PC5937

Keybus accessories, input 11.6-12.6 V dc Model(s) P-ICON-900, P5100, P5108(D,L), P5132(RS,-900), P5200, P5204, P5208, P5400, P5580(TC), P5700, P5720, P5904, P5921/2/3 (EXT, EXT/R), P5928, P5936, P5937, P832-022(T), P832-ICON, PC5132-433, PC5132A-433, PC5502Z2(T), RF5501-433

Keybus accessories, input 12 V ac, 500 mA max Model(s) HS-HC8000

Keybus accessories, input 12 V dc, 10 mA max, for local access only Model(s) TS-VPM5580TC

Keybus accessories, input 12 V dc, 85 mA max Model(s) LCD5511, LED5511

Keybus accessories, multiple wireless receiver modules, input 12-14 V dc, 55 mA max Model(s) PC5320

Keybus accessories, receivers and transmitters, input 12 V dc, 140 mA max Model(s) TR5164-433\*

Keybus accessories, RF receivers Model(s) RF4164-433, RF5108-433

Network internet communicator modules Model(s) T-Link TL250, input 11.6-12.6 V dc, 250.0 mA, . output protocols UDP/IP 10/100 Base half duplex, input protocols PC-Link, DVACS.

Point interface modules, input 12 V dc, 6.7 mA max Model(s) AMP-704, compatible with PC4020, PC4020 CF V3.0+ +, PC5010 V2.0+ +, PC5015 V2.2+ +, PC5020/PC5020 CF V3.0+ +, (+ + denotes required 5C5100 addressable expansion module).

Remote keypads, for models SG-P-6 and SG-P-832 Model(s) SG-P-832-08, SG-P-832-16, SG-P-832-32, SG-RS6/PRS6

RF Accessories, keypads, battery operated, compatible with P5132RS and P4164RS Model(s) PWLS908, PWLS909, PWLS910

RF accessories, keypads, battery operated, compatible with PC5132-900, PC5132RS and PC4164RS Model(s) WLS908,

WLS909, WLS910

**Serial output modules** Model(s) *KT4401VK, PC4401*

**Telephone line expander boards** Model(s) *SG-2TLM*

**Transceiver boards** Model(s) *Skyroute, input 12 V dc, 1.3A (transmitting) for use with control units, DSC PC5010/Partner P-832, software version VI-xx, V2.xx or higher, DSC PC1555/Partner P-6B, software version V2.xx and higher, DSC PC5015/Partner P-832DL software version VI-xx, V2.2xx and higher.*

**Westec kits** Model(s) *Combination household fire and burglar alarm system consisting of P16128A v3.1 control unit, PEKP keypad/audio station, P4580 voice assisted security module, P4936 audio interface module, P4937 audio expansion module and P4056C enclosure, Input 16.5 V ac, 60 Hz, 40 VA (using Class 2, limited energy transformer).*

*Combination household fire and burglar alarm system consisting of PC4020 v3.1 control unit, LCD4503Z keypad/audio station, PC4580 voice assisted security module, PC4936 audio interface module, PC4937 audio expansion module and PC4056C enclosure, Input 16.5 V ac, 60 Hz, 40 VA (using Class 2, limited energy transformer).*

**Wireless panic pendants, input battery/ lithium 3 V each, 6 V dc** Model(s) *WS4938*

## Investigated to ULC-S304

**Accessories, End of Line Resistors** Model(s) *EOLR-1, EOLR-2, EOLR-3*

**Control unit accessories (IP/LTE alarm communicator)** Model(s) *TL880LE, TL880LE-485*

**Control unit accessories, LTE alarm communicators** Model(s) *LE4020*

**Control unit accessories, subassemblies, PCB assemblies** Model(s) *LE4010 PCB, LE4020 PCB*

**Control unit accessory subassembly, communicator board** Model(s) *ADC-620TE*

**Control unit assemblies, zone expanders** Model(s) *HSM3408*

**Control unit subassemblies, enclosures** Model(s) *HSC3020C*

**Control unit subassemblies, 3G cellular alarm communicators** Model(s) *3G9080, 3H9080*

**Control unit subassemblies, alarm controllers** Model(s) *HS3128 PCB, HS3032 PCB*

**Control unit subassemblies, communicator expander** Model(s) *PCL-485*

**Control unit subassemblies, enclosures** Model(s) *HSC3010C*

**Control unit subassemblies, LTE/3G Alarm communicator** Model(s) *LE9080*

**Control unit subassemblies, power supplies** Model(s) *HSM3350*

**Subassemblies, Corbus Repeater, power supply module** Model(s) *HSM3204CX*

(a) - Suitable for use as a household fire and burglary warning system subassembly and as a commercial burglar alarm system control unit subassembly.

(b) - Intended for use as a primary (sole) communication means or as a back-up when used in conjunction with a POTS line (dialer) with Listed compatible control units as indicated in the installation instructions.

(c) - Intended for primary use (heartbeat enabled) with Listed compatible control units as indicated in the installation instructions.

\* - For use with separately listed control units as indicated in the installation instructions.

Last Updated on 2019-02-23

---

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"